



Release Notes for Cisco ONS 15530 OSC Module Functional Image Release 0.58

February 3, 2004

Cisco ONS 15530 OSC module (product number 15530-OSCM) functional image release 0.58

Text Part Number: OL-5494-01

This document describes the features and caveats for the functional image, release 0.58, for the OSC module used with the Cisco ONS 15530 DWDM multiservice aggregation platform.

Contents

This release note includes the following sections:

- [Introduction, page 1](#)
- [Caveats, page 3](#)
- [Related Documentation, page 3](#)
- [Obtaining Documentation, page 3](#)
- [Documentation Feedback, page 4](#)
- [Obtaining Technical Assistance, page 4](#)
- [Obtaining Additional Publications and Information, page 6](#)

Introduction

The OSC (optical supervisory channel) module supports an optional out-of-band management channel for communicating between systems on the network. Using a 33rd wavelength (channel 0), the OSC allows control and management traffic to be carried without requiring a separate Ethernet connection to each Cisco ONS 15530 in the network. Up to two OSC modules can be installed in the carrier motherboard, one module for the west direction and one for the east direction.



Corporate Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Copyright © 2004 Cisco Systems, Inc. All rights reserved.

The OSC always terminates on a neighboring node. By contrast, data channels may or may not be terminated on a given node, depending on whether the channels on the OADM modules are treated as either express (pass-through) or add/drop channels.

Determining the Release of Your OSC Module Functional Image

This section describes the process you use to determine the existing functional image version installed on your OSC module.

To display the functional image version in an OSC module, use the following command in privileged EXEC mode:

Command	Purpose
<code>show hardware linecard slot</code>	Displays the functional image information.

Example

The following example shows the functional image information for the OSC module in slot 1:

```
Switch# show hardware linecard 1
```

```
-----
Slot Number           : 1/0
Controller Type       : 0x1107
On-Board Description  : ONS 15530 Optical Supervisor Channel Module
Orderable Product Number: 15530-OSCM=
Board Part Number     : 800-18303-05
Board Revision        : A0
Serial Number         : CNH0712004Y
Manufacturing Date    : 03/29/2003
Hardware Version      : 4.1
RMA Number            :
RMA Failure Code      :
Optical Rx Power Table : default, non-calibrated
→ Functional Image Version: 0.58
Function-ID           : 0
Transceiver type      : Non-pluggable Transceiver
```

Updating to a New Release

For detailed functional image upgrade instructions, refer to the [Cisco ONS 15530 Software Upgrade Guide](#). To download the ESCON aggregation card functional image, go to the following URL:

<http://www.cisco.com/cgi-bin/tablebuild.pl/ons15530-fpga>.



Caution

A functional image download cannot revert once the download is started. Do not interrupt the download procedure. Wait until it has finished before attempting any commands on the switch. Confirm that the download is done in binary mode and check file sizes before and after the download. A failure during reprogramming can result in the card being unusable.

Caveats

This section lists the caveat for the OSC module functional image.

Use [Table 1](#) to determine the status of a particular caveat and its relevancy to your functional image release. In the table, “C” indicates a fixed caveat, and “O” indicates an open caveat.

Table 1 OSC Module Functional Image Release Caveat Reference

DDTS Number	Release 0.58
CSCeb18103	C

Caveat Symptoms and Workarounds

This section describes the resolved caveat for this release of the OSC module functional image.

- [CSCeb18103](#)

Symptom: When a trunk fiber break occurs, the OSC wave interface may not come back up after the trunk fiber break is restored if laser safety control had been configured on the OSC wave interface while the trunk fiber was broken.

Workaround: Upgrade the functional image to version 0.58 or later.

Related Documentation

Refer to the following documents for more information about the Cisco ONS 15530:

- [Regulatory Compliance and Safety Information for the Cisco ONS 15500 Series](#)
- [Cisco ONS 15530 Planning Guide](#)
- [Cisco ONS 15530 Hardware Installation Guide](#)
- [Cisco ONS 15530 Cleaning Procedures for Fiber Optic Connections](#)
- [Cisco ONS 15530 Optical Transport Turn-Up and Test Guide](#)
- [Cisco ONS 15530 Configuration Guide and Command Reference](#)
- [Quick Reference for the Cisco ONS 15530 TL1 Commands](#)
- [Cisco ONS 15530 System Alarms and Error Messages](#)
- [Cisco ONS 15530 Troubleshooting Guide](#)
- [Network Management for the Cisco ONS 15530](#)
- [Cisco ONS 15530 MIB Quick Reference](#)

Obtaining Documentation

Cisco documentation and additional literature are available on Cisco.com. Cisco also provides several ways to obtain technical assistance and other technical resources. These sections explain how to obtain technical information from Cisco Systems.

Cisco.com

You can access the most current Cisco documentation on the World Wide Web at this URL:

<http://www.cisco.com/univercd/home/home.htm>

You can access the Cisco website at this URL:

<http://www.cisco.com>

International Cisco websites can be accessed from this URL:

http://www.cisco.com/public/countries_languages.shtml

Ordering Documentation

You can find instructions for ordering documentation at this URL:

http://www.cisco.com/univercd/cc/td/doc/es_inpk/pdi.htm

You can order Cisco documentation in these ways:

- Registered Cisco.com users (Cisco direct customers) can order Cisco product documentation from the Ordering tool:
<http://www.cisco.com/en/US/partner/ordering/index.shtml>
- Nonregistered Cisco.com users can order documentation through a local account representative by calling Cisco Systems Corporate Headquarters (California, USA) at 408 526-7208 or, elsewhere in North America, by calling 800 553-NETS (6387).

Documentation Feedback

You can submit e-mail comments about technical documentation to bug-doc@cisco.com.

You can submit comments by using the response card (if present) behind the front cover of your document or by writing to the following address:

Cisco Systems
Attn: Customer Document Ordering
170 West Tasman Drive
San Jose, CA 95134-9883

We appreciate your comments.

Obtaining Technical Assistance

For all customers, partners, resellers, and distributors who hold valid Cisco service contracts, the Cisco Technical Assistance Center (TAC) provides 24-hour-a-day, award-winning technical support services, online and over the phone. Cisco.com features the Cisco TAC website as an online starting point for technical assistance. If you do not hold a valid Cisco service contract, please contact your reseller.

Cisco TAC Website

The Cisco TAC website provides online documents and tools for troubleshooting and resolving technical issues with Cisco products and technologies. The Cisco TAC website is available 24 hours a day, 365 days a year. The Cisco TAC website is located at this URL:

<http://www.cisco.com/tac>

Accessing all the tools on the Cisco TAC website requires a Cisco.com user ID and password. If you have a valid service contract but do not have a login ID or password, register at this URL:

<http://tools.cisco.com/RPF/register/register.do>

Opening a TAC Case

Using the online TAC Case Open Tool is the fastest way to open P3 and P4 cases. (P3 and P4 cases are those in which your network is minimally impaired or for which you require product information.) After you describe your situation, the TAC Case Open Tool automatically recommends resources for an immediate solution. If your issue is not resolved using the recommended resources, your case will be assigned to a Cisco TAC engineer. The online TAC Case Open Tool is located at this URL:

<http://www.cisco.com/tac/caseopen>

For P1 or P2 cases (P1 and P2 cases are those in which your production network is down or severely degraded) or if you do not have Internet access, contact Cisco TAC by telephone. Cisco TAC engineers are assigned immediately to P1 and P2 cases to help keep your business operations running smoothly.

To open a case by telephone, use one of the following numbers:

Asia-Pacific: +61 2 8446 7411 (Australia: 1 800 805 227)

EMEA: +32 2 704 55 55

USA: 1 800 553-2447

For a complete listing of Cisco TAC contacts, go to this URL:

<http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml>

TAC Case Priority Definitions

To ensure that all cases are reported in a standard format, Cisco has established case priority definitions.

Priority 1 (P1)—Your network is “down” or there is a critical impact to your business operations. You and Cisco will commit all necessary resources around the clock to resolve the situation.

Priority 2 (P2)—Operation of an existing network is severely degraded, or significant aspects of your business operation are negatively affected by inadequate performance of Cisco products. You and Cisco will commit full-time resources during normal business hours to resolve the situation.

Priority 3 (P3)—Operational performance of your network is impaired, but most business operations remain functional. You and Cisco will commit resources during normal business hours to restore service to satisfactory levels.

Priority 4 (P4)—You require information or assistance with Cisco product capabilities, installation, or configuration. There is little or no effect on your business operations.

Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- Cisco Marketplace provides a variety of Cisco books, reference guides, and logo merchandise. Go to this URL to visit the company store:

<http://www.cisco.com/go/marketplace/>

- The Cisco *Product Catalog* describes the networking products offered by Cisco Systems, as well as ordering and customer support services. Access the Cisco Product Catalog at this URL:

<http://cisco.com/univercd/cc/td/doc/pcat/>

- *Cisco Press* publishes a wide range of general networking, training and certification titles. Both new and experienced users will benefit from these publications. For current Cisco Press titles and other information, go to Cisco Press online at this URL:

<http://www.ciscopress.com>

- *Packet* magazine is the Cisco quarterly publication that provides the latest networking trends, technology breakthroughs, and Cisco products and solutions to help industry professionals get the most from their networking investment. Included are networking deployment and troubleshooting tips, configuration examples, customer case studies, tutorials and training, certification information, and links to numerous in-depth online resources. You can access Packet magazine at this URL:

<http://www.cisco.com/packet>

- *iQ Magazine* is the Cisco bimonthly publication that delivers the latest information about Internet business strategies for executives. You can access iQ Magazine at this URL:

<http://www.cisco.com/go/iqmagazine>

- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in designing, developing, and operating public and private internets and intranets. You can access the Internet Protocol Journal at this URL:

<http://www.cisco.com/ipj>

- Training—Cisco offers world-class networking training. Current offerings in network training are listed at this URL:

<http://www.cisco.com/en/US/learning/index.html>

This document is to be used in conjunction with the documents listed in the “Related Documentation” section.

CCIP, CCSP, the Cisco Arrow logo, the Cisco *Powered* Network mark, Cisco Unity, Follow Me Browsing, FormShare, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, the Cisco IOS logo, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherSwitch, Fast Step, GigaStack, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, MGX, MICA, the Networkers logo, Networking Academy, Network Registrar, *Packet*, PIX, Post-Routing, Pre-Routing, RateMUX, Registrar, ScriptShare, SlideCast, SMARTnet, StrataView Plus, Stratm, SwitchProbe, TeleRouter, The Fastest Way to Increase Your Internet Quotient, TransPath, and VCO are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0401R)

Copyright © 2003 Cisco Systems, Inc. All rights reserved.