

Blank Worksheets

This appendix contains blank worksheets. Use these worksheets to plan your startup configuration and to run through a **setup** command facility session. It is useful to make copies of these blank worksheets in case you rework your configuration or install more interfaces on your system.

Global Configuration Worksheet

System Type: ASM-CS Cisco 2500

Other: _____

System Serial No.: _____ Number of Synchronous Interfaces: _____

Number of Async Lines: _____

Global Parameters, Part 1

Host Name: _____			
Enable Secret: _____			
Enable Password: _____			
Virtual Terminal Password: _____			
SNMP:	Yes	No	
DECnet:	Yes	No	
(Cisco 2500 Only)	Area No.: _____		
	Node No.: _____		
	Area (Level 2) Routing:		Yes No
IP:	Yes	No	
	Routing Protocol (choose one):		
	IGRP	Yes No	IGRP Autonomous System: _____
	RIP	Yes No	
IPX:	Yes	No	
XNS:	Yes	No	
(Cisco 2500 Only)			
AppleTalk:	Yes	No	
	Multizone:	Yes	No
Apollo:	Yes	No	
(Cisco 2500 Only)	Routing No.: _____		
CLNS:	Yes	No	
(Cisco 2500 Only)	Router Tag: _____		
	Domain: _____		
	Area: _____		
	Station ID: _____		
Banyan VINES:	Yes	No	
(Cisco 2500 Only)			
Bridging:	Yes	No	
(Cisco 2500 Only)			

S3073

Global Parameters, Part 2

Async Lines:	Yes	No
Async Line Speed:		
Hardware Flow Control:	Yes	No
Modems:	Yes	No
Default Chat Script:	Yes	No
Dail-in		
SLIP/PPP:	Yes	No
Dynamic IP Address:	Yes	No
Default IP Addresses:	Yes	No
TCP Header Compression:	Yes	No
Routing Updates:	Yes	No
Async IPX?	Yes	No
XRemote Font Server:	Yes	No
	IP Address:	_____
	IP Address:	_____
	IP Address:	_____
	IP Address:	_____
AppleTalk Remote Access:	Yes	No
AppleTalk Network for ARA Clients:		_____
Zone Name for ARA Clients:		_____

S3074

Interface Configuration Worksheet

System Hardware Information:

System Type: _____ System Serial No.: _____ Host Name: _____ No. of Synchronous Interfaces: _____
 No. of Async. Lines: _____

Interface Parameters

Interface Name				
Interface In Use (Yes/No)				
Speed (Token Ring Only)				
IP: (Yes / No)				
IP Unnumbered (Yes / No)				
Interface Name				
IP Address				
Subnet Mask Bits				
DECnet (Yes / No)				
Cost: (Cisco 2500 Only)				
IPX (Yes / No)				
Network No.				
XNS (Yes / No)				
Network No.				
AppleTalk (Yes / No)				
Extended (Ethernet/Serial Only)				
Starting Cable Range				
Ending Cable Range				
Network No. (Nonextended)				
Zone Name				
Zone Name				
Zone Name				
Apollo (Yes / No)				
Network No. (Cisco 2500 Only)				
CLNS (Yes / No)				
(Cisco 2500 Only)				
Banyan VINES (Yes / No)				
(Cisco 2500 Only)				
Bridging (Yes / No)				
(Cisco 2500 Only)				
LAT (Yes / No)				
IPX Network No. (Async Lines Only)				
Default IP Client Address: (Async Lines Only)				

S307Z

