

# Blank Worksheets

---

This appendix contains blank worksheets. Use these worksheets to plan your startup configuration and to run through a **setup** command facility session. You can make copies of these blank worksheets in case you rework your configuration or install more interfaces on your system.



# Global Configuration Worksheet

System Type: ASM-CS Cisco 2500

Other: \_\_\_\_\_

System Serial No.: \_\_\_\_\_ Number of Synchronous Interfaces: \_\_\_\_\_

**Global Parameters, Part 1** Number of Async Lines: \_\_\_\_\_

Host Name: _____			
Enable Secret: _____			
Enable Password: _____			
Virtual Terminal Password: _____			
SNMP:	Yes	No	
DECnet:	Yes	No	
(Cisco 2500 Only) Area No.: _____			
Node No.: _____			
Area (Level 2) Routing: Yes No			
IP:	Yes	No	
Routing Protocol (choose one):			
IGRP	Yes	No	IGRP Autonomous System: _____
RIP	Yes	No	
IPX:	Yes	No	
XNS:	Yes	No	
(Cisco 2500 Only)			
AppleTalk:	Yes	No	
Multizone:	Yes	No	
Apollo:	Yes	No	
(Cisco 2500 Only) Routing No.: _____			
CLNS:	Yes	No	
(Cisco 2500 Only) Router Tag: _____			
Domain: _____			
Area: _____			
Station ID: _____			
Banyan VINES:	Yes	No	
(Cisco 2500 Only)			
Bridging:	Yes	No	
(Cisco 2500 Only)			

S3073

**Global Parameters, Part 2**

<b>Async Lines:</b>	<b>Yes</b>	<b>No</b>
<b>Async Line Speed:</b>		
<b>Hardware Flow Control:</b>	<b>Yes</b>	<b>No</b>
<b>Modems:</b>	<b>Yes</b>	<b>No</b>
<b>Default Chat Script:</b>	<b>Yes</b>	<b>No</b>
<b>Dail-in</b>		
<b>SLIP/PPP:</b>	<b>Yes</b>	<b>No</b>
<b>Dynamic IP Address:</b>	<b>Yes</b>	<b>No</b>
<b>Default IP Addresses:</b>	<b>Yes</b>	<b>No</b>
<b>TCP Header Compression:</b>	<b>Yes</b>	<b>No</b>
<b>Routing Updates:</b>	<b>Yes</b>	<b>No</b>
<b>Async IPX?</b>	<b>Yes</b>	<b>No</b>
<b>XRemote Font Server:</b>	<b>Yes</b>	<b>No</b>
	<b>IP Address:</b>	_____
	<b>IP Address:</b>	_____
	<b>IP Address:</b>	_____
	<b>IP Address:</b>	_____
<b>AppleTalk Remote Access:</b>	<b>Yes</b>	<b>No</b>
<b>AppleTalk Network for ARA Clients:</b>		_____
<b>Zone Name for ARA Clients:</b>		_____

S3074

# Interface Configuration Worksheet

**System Hardware Information:**

System Type: \_\_\_\_\_ System Serial No.: \_\_\_\_\_ Host Name: \_\_\_\_\_ No. of Synchronous Interfaces: \_\_\_\_\_  
 No. of Async. Lines: \_\_\_\_\_

**Interface Parameters**

Interface Name				
Interface In Use (Yes/No)				
Speed (Token Ring Only)				
IP: (Yes / No)				
IP Unnumbered (Yes / No)				
Interface Name				
IP Address				
Subnet Mask Bits				
DECnet (Yes / No)				
Cost: (Cisco 2500 Only)				
IPX (Yes / No)				
Network No.				
XNS (Yes / No)				
Network No.				
AppleTalk (Yes / No)				
Extended (Ethernet/Serial Only)				
Starting Cable Range				
Ending Cable Range				
Network No. (Nonextended)				
Zone Name				
Zone Name				
Zone Name				
Apollo (Yes / No)				
Network No. (Cisco 2500 Only)				
CLNS (Yes / No) (Cisco 2500 Only)				
Banyan VINES (Yes / No) (Cisco 2500 Only)				
Bridging (Yes / No) (Cisco 2500 Only)				
LAT (Yes / No)				
IPX Network No. (Async Lines Only)				
Default IP Client Address: (Async Lines Only)				

S3072

