



Cisco IOS New and Modified Commands, Release 12.3

New, modified, and replaced commands for Cisco IOS Release 12.2 T and 12.3(1) are grouped by maintenance release and ordered alphabetically within each group. To access the documentation for a particular command, click the page number following the command name.

Page Number Designators

- B1R** Cisco IOS Bridging and IBM Networking Command Reference, Volume 1 of 2: Bridging
- B2R** Cisco IOS Bridging and IBM Networking Command Reference, Volume 2 of 2: IBM Networking
- CFR** Cisco IOS Configuration Fundamentals Command Reference
- DB** Cisco IOS Debug Command Reference
- DR** Cisco IOS Dial Technologies Command Reference
- IP1R** Cisco IOS IP Command Reference, Volume 1 of 4: Addressing and Services
- IP2R** Cisco IOS IP Command Reference, Volume 2 of 4: Routing Protocols
- IP3R** Cisco IOS IP Command Reference, Volume 3 of 4: Multicast
- IP4R** Cisco IOS IP Command Reference, Volume 4 of 4: IP Mobility
- IPv6R** Cisco IOS IPv6 Command Reference
- IR** Cisco IOS Interface and Hardware Component Command Reference
- MWR** Cisco IOS Mobile Wireless Command Reference
- P2R** Cisco IOS AppleTalk and Novell IPX Command Reference
- QR** Cisco IOS Quality of Service Solutions Command Reference
- SR** Cisco IOS Security Command Reference
- TR** Cisco IOS Terminal Services Command Reference

- VR** Cisco IOS Voice, Video, and Fax Command Reference
- WR** Cisco IOS Wide-Area Networking Command Reference
- XR** Cisco IOS Switching Services Command Reference

12.2(2)T New Commands

- address-family ipv6 **IPv6R-8**
- application **VR-37**
- bandwidth remote **VR-67**
- cadence **VR-94**
- call application voice fax-dtmf **VR-126**
- call language voice **VR-207**
- call language voice load **VR-208**
- clear backhaul-session-manager group stats **VR-324**
- clear bgp ipv6 **IPv6R-17**
- clear bgp ipv6 dampening **IPv6R-19**
- clear bgp ipv6 external **IPv6R-20**
- clear bgp ipv6 flap-statistics **IPv6R-21**
- clear h323 gatekeeper statistics **VR-352**
- clear ip sctp statistics **VR-355**
- clear ipv6 neighbors **IPv6R-26**
- clear ipv6 prefix-list **IPv6R-28**
- clear ipv6 route **IPv6R-31**
- clear ipv6 traffic **IPv6R-33**
- clear saa apm cache **CFR-93**
- clear time-range ipc **IP1R-62**
- cns config cancel **CFR-108**
- cns config initial **CFR-112**
- cns config partial **CFR-115**
- cns config retrieve **CFR-117**
- cns event **CFR-118**
- crypto ipsec df-bit (global) **SR-201**
- crypto ipsec df-bit (interface) **SR-202**
- debug bgp ipv6 dampening **DB-105, IPv6R-51**

debug bgp ipv6 updates DB-108, IPv6R-54
 debug cns config DB-266
 debug cns event DB-268
 debug cns xml-parser DB-273
 debug dspapi DB-382
 debug frame-relay virtual DB-529
 debug gatekeeper gup DB-540
 debug gatekeeper load DB-542
 debug hpi DB-559
 debug ip scp DB-715
 debug ipv6 icmp DB-785, IPv6R-66
 debug ipv6 nd DB-790, IPv6R-72
 debug ipv6 packet DB-798, IPv6R-80
 debug ipv6 rip DB-802, DB-805, IPv6R-84
 debug ipv6 routing DB-805, IPv6R-87
 debug mgcp DB-972
 debug mpls ldp advertisements DB-1032
 debug mpls ldp bindings DB-1034
 debug mpls ldp messages DB-1036
 debug mpls ldp peer state-machine DB-1038
 debug mpls ldp session io DB-1040
 debug mpls ldp session state-machine DB-1042
 debug mpls ldp targeted-neighbors DB-1044
 debug mpls ldp transport connections DB-1046
 debug mpls ldp transport events DB-1048
 debug saa apm DB-1264
 debug time-range ipc DB-1431
 distance (IPv6) IPv6R-100
 distribute-list prefix-list (IPv6 RIP) IPv6R-104
 dualtone VR-521
 element VR-534
 encapsulation (ATM) WR-134
 endpoint alt-ep h323id VR-542
 endpoint ttl VR-548
 frame-relay map ipv6 IPv6R-108
 frequency VR-610
 ip flow-export destination XR-85
 ip qos dscp VR-722
 ip rsvp data-packet classification none QR-103
 ip rsvp layer2 overhead QR-110
 ip rsvp resource-provider QR-138
 ip scp server enable SR-370
 ip ssh port SR-394
 ipv6 access-class IPv6R-113
 ipv6 access-list IPv6R-115
 ipv6 address eui-64 IPv6R-121
 ipv6 address link-local IPv6R-123
 ipv6 atm-vc IPv6R-125
 ipv6 enable IPv6R-133
 ipv6 hop-limit IPv6R-134
 ipv6 host IPv6R-135
 ipv6 icmp error-interval IPv6R-137
 ipv6 mtu IPv6R-141
 ipv6 nd managed-config-flag IPv6R-159
 ipv6 nd ns-interval IPv6R-160
 ipv6 nd other-config-flag IPv6R-161
 ipv6 nd prefix-advertisement IPv6R-164
 ipv6 nd ra-interval IPv6R-166
 ipv6 nd ra-lifetime IPv6R-167
 ipv6 nd reachable-time IPv6R-168
 ipv6 nd suppress-ra IPv6R-169
 ipv6 prefix-list IPv6R-189
 ipv6 prefix-list sequence-number IPv6R-192
 ipv6 rip default-information IPv6R-195
 ipv6 rip enable IPv6R-197
 ipv6 rip metric-offset IPv6R-198
 ipv6 rip summary-address IPv6R-199
 ipv6 route IPv6R-201
 ipv6 router rip IPv6R-207
 ipv6 traffic-filter IPv6R-208
 ipv6 unicast-routing IPv6R-209
 ipv6 unnumbered IPv6R-210
 load-balance VR-777
 logging event frame-relay x25 WR-317
 match ipv6 address IPv6R-219
 match ipv6 next-hop IPv6R-221
 match ipv6 route-source IPv6R-223
 maximum-paths ibgp IP2R-292

mgcp explicit hookstate VR-840
 mgcp ip-tos VR-844
 mgcp quarantine mode VR-870
 mgcp quarantine persistent-event disable VR-872
 mgcp rtp unreachable timeout VR-879
 mpls atm multi-vc XR-174
 mpls cos-map XR-178
 mpls label protocol (global configuration) XR-190
 mpls label protocol (interface configuration) XR-191
 mpls ldp address-message XR-195
 mpls ldp advertise-labels XR-197
 mpls ldp advertise-labels old-style XR-201
 mpls ldp atm control-mode XR-203
 mpls ldp atm vc-merge XR-205
 mpls ldp backoff XR-206
 mpls ldp discovery XR-208
 mpls ldp discovery transport-address XR-210
 mpls ldp explicit-null XR-212
 mpls ldp holdtime XR-214
 mpls ldp loop-detection XR-215
 mpls ldp maxhops XR-216
 mpls ldp neighbor XR-218
 mpls ldp router-id XR-220
 mpls ldp targeted-sessions XR-222
 mpls prefix-map XR-227
 neighbor dmzlink-bw IP2R-316
 neighbor override-capability-neg IPv6R-236
 poison-reverse (IPv6 RIP) IPv6R-256
 port (IPv6 RIP) IPv6R-257
 pots forwarding-method VR-1052
 pots prefix filter VR-1056
 pots prefix number VR-1058
 pppoe-client dial-pool-number WR-376
 protocol ipv6 (ATM) IPv6R-260
 rbe nasip WR-397
 redistribute (IPv6) IPv6R-262
 redundancy DR-603
 rtp payload-type VR-1149
 rtr responder type frame-relay CFR-495
 saa apm cache-size CFR-507
 saa apm copy CFR-508
 saa apm lowWaterMark CFR-510
 saa apm operation CFR-512
 set fr-de QR-313
 show bgp ipv6 IPv6R-277
 show bgp ipv6 community IPv6R-280
 show bgp ipv6 community-list IPv6R-283
 show bgp ipv6 dampened-paths IPv6R-285
 show bgp ipv6 filter-list IPv6R-287
 show bgp ipv6 flap-statistics IPv6R-290
 show bgp ipv6 inconsistent-as IPv6R-293
 show bgp ipv6 neighbors IPv6R-295
 show bgp ipv6 paths IPv6R-304
 show bgp ipv6 quote-regexp IPv6R-306
 show bgp ipv6 regexp IPv6R-309
 show bgp ipv6 summary IPv6R-311
 show call language voice VR-1327
 show cns config outstanding CFR-589
 show cns config stats CFR-590
 show cns config status CFR-591
 show cns event gateway CFR-593
 show cns event stats CFR-594
 show cns event status CFR-596
 show cns event subject CFR-597
 show dsl interface atm WR-494
 show gatekeeper cluster VR-1420
 show gatekeeper performance statistics VR-1428
 show gatekeeper status cluster VR-1436
 show gatekeeper zone cluster VR-1437
 show ip sctp association list VR-1463
 show ip sctp association parameters VR-1465
 show ip sctp association statistics VR-1469
 show ip sctp errors VR-1471
 show ip sctp instances VR-1473
 show ip sctp statistics VR-1475
 show ipv6 access-list IPv6R-335
 show ipv6 interface IPv6R-349
 show ipv6 mtu IPv6R-355

show ipv6 neighbors IPv6R-359
 show ipv6 prefix-list IPv6R-380
 show ipv6 rip IPv6R-386
 show ipv6 route IPv6R-390
 show ipv6 routers IPv6R-395
 show ipv6 route summary IPv6R-394
 show ipv6 traffic IPv6R-398
 show ipv6 tunnel IPv6R-400
 show mgcp profile VR-1496
 show mpls atm-ldp bindings XR-449
 show mpls atm-ldp capability XR-453
 show mpls cos-map XR-456
 show mpls ip binding XR-465
 show mpls ldp backoff XR-480
 show mpls ldp bindings XR-482
 show mpls ldp discovery XR-485
 show mpls ldp neighbor XR-487
 show mpls ldp parameters XR-489
 show mpls prefix-map XR-491
 show saa apm cache CFR-759
 show saa apm information CFR-761
 show saa apm results CFR-763
 show saa spm operation CFR-762
 show snmp mib CFR-771
 show snmp mib ifmib ifindex CFR-774
 show time-range ipc IP1R-359
 snmp ifmib ifalias long CFR-809
 snmp mib persist circuit CFR-817
 snmp-server enable traps ipmobile IP4R-110
 split-horizon (IPv6 RIP) IPv6R-416
 supervisory answer dualtone VR-1799
 supervisory custom-cptone VR-1801
 supervisory disconnect anytone VR-1804
 supervisory disconnect dualtone VR-1806
 supervisory dualtone-detect-params VR-1810
 timer cluster-element announce VR-1905
 timer lrq seq delay VR-1908
 timer lrq window VR-1909
 timers (IPv6 RIP) IPv6R-429
 timer server timeout VR-1914
 tunnel mode ipv6ip IPv6R-438
 type frame-relay CFR-993
 type pathJitter CFR-1001
 vcci VR-2035
 voice class custom-cptone VR-2074
 voice class dualtone-detect-params VR-2077
 vrfName CFR-1023
 zone cluster local VR-2137
 zone cluster remote VR-2138

12.2(2)T Modified Commands

access-list rate-limit QR-4
 accounting (gatekeeper) SR-106
 bandwidth (gatekeeper) VR-65
 bandwidth (policy-map class) QR-9
 battery-reversal VR-68
 copy IPv6R-35
 debug mpls atm-cos DB-1013
 debug mpls atm-ldp api DB-1015
 debug mpls atm-ldp routes DB-1019
 debug mpls atm-ldp states DB-1021
 dialer-list protocol IPv6R-97
 dialer-list protocol (Dial) DR-160
 ip flow-aggregation cache XR-79
 ip name-server IPv6R-112
 match mpls experimental QR-183
 mgcp default-package VR-835
 mgcp package-capability VR-860
 mgcp quality-threshold VR-868
 mgcp sdp VR-882
 mgcp sgcp restart notify VR-886
 mgcp timer VR-888
 mgcp tse payload VR-890
 mpls ip (global configuration) XR-179
 mpls ip (interface configuration) XR-180
 neighbor activate IPv6R-234
 police (two rates) QR-219

priority QR-232
 pvc WR-388
 qos pre-classify QR-251
 rate-limit QR-291
 set atm-clp QR-304
 set mpls experimental XR-274
 show atm map IPv6R-274, WR-448
 show frame-relay map IPv6R-331, WR-512
 show gatekeeper endpoints VR-1423
 show gatekeeper status VR-1434
 show ip flow export XR-369
 show ip route IP2R-583
 show ip rsvp interface QR-374
 show ip sockets IPv6R-333
 show mgcp nas VR-1493
 show mpls interfaces XR-462
 snmp-server engineID remote CFR-879
 snmp-server host CFR-884
 telnet IPv6R-424
 timeouts call-disconnect VR-1893
 traceroute IPv6R-431

12.2(4)T New Commands

aaa attribute SR-36
 aaa user profile SR-95
 accounting (server-group) SR-108
 address (mobile router) IP4R-6
 advertise (annex g) VR-22
 area filter-list IP2R-31
 as VR-45
 asp VR-47
 attribute (server-group) SR-116
 authorization (server-group) SR-122
 bgp inject-map exist-map IP2R-79
 bstun reconnect-interval B2R-95
 bstun route (BIP) B2R-99
 bundle svc QR-19
 cache VR-93

call-agent VR-226
 call fallback VR-168
 call-router VR-271
 call rscmon update-timer VR-209
 call spike VR-214
 call threshold global VR-218
 call threshold interface VR-220
 call threshold poll-interval VR-222
 call treatment VR-224
 clear call-router routes VR-330
 clear call threshold VR-327
 clear call treatment stats VR-329
 clear h323 gateway VR-353
 clear ip mobile router agent IP4R-11
 clear ip mobile router registration IP4R-12
 clear ip mobile router traffic IP4R-13
 clear mpls traffic-eng auto-bw timers XR-38
 crypto identity SR-190
 crypto mib ipsec flowmib history failure size SR-259
 crypto mib ipsec flowmib history tunnel size SR-260
 debug atm bundle error DB-88
 debug atm bundle events DB-89
 debug atm events DB-90
 debug call threshold DB-173
 debug call treatment action DB-174
 debug cch323 DB-180
 debug ces-conn DB-248
 debug conn DB-294
 debug crypto mib DB-321
 debug h323-annexg DB-557
 debug ip sctp api DB-716, DB-860
 debug ip sctp congestion DB-718, DB-862
 debug ip sctp init DB-720, DB-864
 debug ip sctp multihome DB-722, DB-866
 debug ip sctp performance DB-724, DB-868
 debug ip sctp rcvchunks DB-726, DB-870
 debug ip sctp rto DB-728, DB-872
 debug ip sctp segments DB-730, DB-874
 debug ip sctp segmentv DB-733, DB-877

debug ip sctp signal [DB-736](#), [DB-880](#)
 debug ip sctp sndchunks [DB-738](#), [DB-882](#)
 debug ip sctp state [DB-741](#), [DB-885](#)
 debug ip sctp timer [DB-744](#), [DB-888](#)
 debug ip sctp warnings [DB-746](#), [DB-890](#)
 description [IP4R-21](#)
 dialer-group (template) [DR-149](#)
 dialer idle-timeout (template) [DR-154](#)
 dialer persistent [DR-178](#)
 dialer wait-for-line-protocol [DR-204](#)
 dn [SR-270](#)
 dspfarm (voice-card) [VR-505](#)
 emulate [VR-535](#)
 endpoint alt-ep collect [VR-540](#)
 exception crashinfo buffersize [CFR-201](#)
 exception crashinfo file [CFR-202](#)
 fqdn [SR-301](#)
 framer-type [WR-272](#)
 h225 timeout setup [VR-642](#)
 h225 timeout tcp call-idle [VR-643](#)
 h323 [VR-645](#)
 h323-annexg [VR-655](#)
 home-agent [IP4R-22](#)
 hopcount [VR-669](#)
 id [VR-695](#)
 ip director default priorities [CFR-254](#)
 ip director drp rttprobe [CFR-262](#)
 ip dns server [CFR-276](#)
 ip idle-group [DR-275](#)
 ip mobile mobile-networks [IP4R-45](#)
 ip mobile router [IP4R-50](#)
 ip mobile router-service [IP4R-51](#)
 ip pmtu [DR-280](#)
 ipv6 nd dad attempts [IPv6R-156](#)
 ipv6 redirects [IPv6R-193](#)
 isdn bind-13 iua-backhaul [VR-733](#)
 iua [VR-751](#)
 l2f tunnel busy timeout [DR-384](#)
 l2f tunnel retransmit initial retries [DR-385](#)
 l2f tunnel retransmit retries [DR-386](#)
 l2f tunnel timeout setup [DR-387](#)
 l2tp security crypto-profile [DR-399](#)
 l2tp tunnel busy timeout [DR-402](#)
 l2tp tunnel retransmit initial retries [DR-408](#)
 l2tp tunnel retransmit initial timeout [DR-409](#)
 local [VR-778](#)
 lrq lrj immediate-advance [VR-787](#)
 max1 lookup [VR-797](#)
 max1 retries [VR-799](#)
 max2 lookup [VR-801](#)
 max2 retries [VR-803](#)
 maximum-paths eibgp [IP2R-290](#)
 max-metric router lsa [IP2R-294](#)
 mgcp endpoint offset [VR-839](#)
 mgcp persistent [VR-863](#)
 mgcp piggyback message [VR-864](#)
 mgcp profile [VR-866](#)
 modemui [DR-486](#)
 modemui-version [DR-490](#)
 monitor traffic line [DR-491](#)
 mpls atm cos [XR-172](#)
 mpls atm disable-headend-vc [XR-173](#)
 mpls atm vp-tunnel [XR-177](#)
 mpls request-labels for [XR-228](#)
 mpls traffic-eng auto-bw timers [XR-235](#)
 neighbor orf prefix-filter [IP2R-326](#)
 network (mobile networks) [IP4R-65](#)
 network-clock-participate [VR-979](#)
 package persistent [VR-1002](#)
 port (Annex G neighbor BE) [VR-1031](#)
 port (MGCP profile) [VR-1036](#)
 ppp ipcp predictive [DR-544](#)
 ppp lcp predictive [DR-548](#)
 ppp timeout idle (template) [DR-581](#)
 prefix (Annex G) [VR-1073](#)
 radius-server attribute 11 direction default [SR-509](#)
 radius-server attribute 44 extend-with-addr [SR-512](#)
 radius-server attribute 44 sync-with-client [SR-514](#)

radius-server attribute list SR-520
 redundancy group IP4R-67
 register IP4R-70
 reverse-tunnel IP4R-72
 session-limit (VPDN) DR-646
 set ipv6 next-hop (BGP) IPv6R-269
 show atm bundle svc QR-342
 show atm bundle svc statistics QR-344
 show call-router routes VR-1352
 show call-router status VR-1354
 show call threshold VR-1339
 show call treatment VR-1341
 show controllers xmplsatm XR-316
 show crypto mib ipsec flowmib history failure size SR-629
 show crypto mib ipsec flowmib history tunnel size SR-630
 show crypto mib ipsec flowmib version SR-631
 show h323 gateway VR-1444
 show interface xmplsatm XR-324
 show ip director default CFR-653
 show ip mobile mobile-networks IP4R-83
 show ip mobile router IP4R-87
 show ip mobile router agent IP4R-85
 show ip mobile router interface IP4R-90
 show ip mobile router registration IP4R-92
 show ip mobile router traffic IP4R-94
 show iua as VR-1477
 show iua asp VR-1479
 show mpls atm-ldp bindwait XR-452
 show xmplsatm cos-bandwidth-allocation
 xmplsatm XR-563
 show xmplsatm cross-connect XR-564
 show xmplsatm vc XR-568
 snmp mib persist event CFR-817
 snmp mib persist expression CFR-817
 snmp-server enable traps atm pvc extension CFR-832
 snmp-server enable traps pim CFR-862
 svc-bundle QR-460
 test aaa group SR-676
 test call threshold VR-1832
 timeout tcrit VR-1869
 timeout tdinit VR-1871
 timeout tdmx VR-1873
 timeout tadmin VR-1875
 timeout thist VR-1877
 timeout tone busy VR-1878
 timeout tone cot1 VR-1879
 timeout tone cot2 VR-1880
 timeout tone dial VR-1881
 timeout tone dial stutter VR-1882
 timeout tone mwi VR-1883
 timeout tone network congestion VR-1884
 timeout tone reorder VR-1885
 timeout tone ringback VR-1886
 timeout tone ringback connection VR-1887
 timeout tone ringing VR-1888
 timeout tone ringing distinctive VR-1889
 timeout tpar VR-1890
 timeout tsmx VR-1892
 timer VR-1904
 timers pacing flood IP2R-619
 timers pacing lsa-group IP2R-621
 timers pacing retransmission IP2R-623
 ttl VR-2001
 tunnel mpls traffic-eng auto-bw XR-611
 virtual-template pre-clone WR-704
 write mib-data CFR-1029

12.2(4)T Modified Commands

access-list rate-limit QR-4
 bump QR-14
 call fallback active VR-170
 call fallback cache-size VR-172
 call fallback cache-timeout VR-174
 call fallback instantaneous-value-weight VR-176
 call fallback jitter-probe num-packets VR-178
 call fallback jitter-probe precedence VR-181
 call fallback jitter-probe priority-queue VR-183

call fallback key-chain VR-185
 call fallback map address-list VR-187
 call fallback map subnet VR-190
 call fallback monitor VR-192
 call fallback probe-timeout VR-194
 call fallback reject-cause-code VR-196
 call fallback threshold delay loss VR-203
 call fallback threshold icpif VR-205
 ccm-manager mgcp VR-291
 ccm-manager redundant-host VR-297
 ccm-manager switchback VR-299
 class-bundle QR-25
 clear call fallback cache VR-325
 clear call fallback stats VR-326
 crypto isakmp key SR-224
 crypto map (global IPsec) SR-244
 debug ip cef DB-580
 debug ipv6 nd DB-790, IPv6R-72
 debug mpls xmplsatm events DB-1094
 debug mpls xtagatm cross-connect DB-1091
 debug mpls xtagatm errors DB-1093
 debug mpls xtagatm vc DB-1096
 dialer-list protocol (Dial) DR-160
 dialer redial DR-187
 dsl operating-mode WR-127
 encapsulation (ATM) WR-134
 fax interface-type VR-558
 frame-relay adaptive-shaping WR-155
 frame-relay map WR-230
 frame-relay payload-compression WR-252
 interface xtagatm XR-62
 ip director default weights CFR-256
 ip host IP1R-165
 ip nat inside source IP1R-179
 ip nat outside source IP1R-182
 ip rsvp bandwidth QR-100
 ipv6 route IPv6R-201
 isdn leased-line bri DR-327
 load-interval CFR-328
 match mpls experimental QR-183
 mgcp quarantine mode VR-870
 mgcp quarantine persistent-event disable VR-872
 mgcp request timeout VR-874
 modem dialin DR-455
 mpls atm control-vc XR-171
 mpls atm vpi XR-175
 network-clock-select VR-981
 oam-bundle QR-207
 police (two rates) QR-219
 ppp multilink interleave DR-564
 precedence QR-226
 rate-limit QR-291
 serial restart-delay IR-266
 set atm-clp QR-304
 show atm pvc WR-451
 show bstun B2R-468
 show call history VR-1316, VR-1321
 show controllers vsi traffic XR-312
 show dial-peer voice VR-1385
 show dsl interface atm WR-494
 show frame-relay pvc WR-518
 show hosts IP1R-280
 show ip bgp IP2R-486
 show ip bgp injected-paths IP2R-502
 show ip ospf IP2R-543
 show ip rsvp interface QR-374
 show mgcp connection VR-1487
 show mgcp endpoint VR-1490
 show mgcp profile VR-1496
 show mgcp statistics VR-1500
 show policy-map QR-408
 show policy-map interface QR-418
 show running-config CFR-755
 show running-config map-class CFR-757
 snmp-server host CFR-884
 test call fallback probe VR-1826
 verify CFR-1019
 zone cluster remote VR-2138

zone remote VR-2147

12.2(8)T New Commands

aaa session-id SR-92

aaa username VR-3

access-code (cm-fallback) VR-5

acl SR-110

address-family ipv6 (IS-IS) IPv6R-10

address-family nsap IP2R-20

adjacency-check IPv6R-11

admin-password (telephony-service) VR-18

admin-username (telephony-service) VR-20

alarm-interface IR-2

alias (boomerang) CFR-31

alias (cm-fallback) VR-27

application (ephone-dn) VR-40

area sham-link cost IP2R-38

attribute WR-76

auto-enroll SR-127

bind VR-70

call application voice account-id-method VR-112

call application voice mode VR-137

call application voice prompt VR-142

call application voice voice-dtmf VR-163

caller-id block (ephone-dn) VR-246

caller-number VR-249

call-forward all (ephone-dn) VR-251

call-forward busy (cm-fallback) VR-253

call-forward busy (ephone-dn) VR-255

call-forward noan (cm-fallback) VR-257

call-forward noan (ephone-dn) VR-259

call-manager-fallback VR-269

cgma-agent VR-317

clear adjacency epoch XR-19

clear bgp nsap IP2R-93

clear bgp nsap dampening IP2R-95

clear bgp nsap external IP2R-96

clear bgp nsap flap-statistics IP2R-97

clear bgp nsap peer-group IP2R-98

clear ip cef epoch XR-21

clear ip dhcp subnet IP1R-48

clear mac-address-table XR-35

clear mgcp src-stats VR-357

clock source (controller J1) IR-70

clock source (T1/E1 controller) IR-79

cns config connect-intf CFR-110

cns config notify CFR-114

cns id CFR-120

cns inventory CFR-128

cns mib-access encapsulation CFR-129

cns notifications encapsulation CFR-130

config-cli CFR-131

cor (cm-fallback) VR-414

cor (ephone-dn) VR-416

crl SR-158

crypto ca certificate query (ca-trustpoint) SR-169

crypto ca trustpoint SR-183

crypto isakmp client configuration group SR-218

crypto isakmp keepalive SR-223

crypto isakmp peer SR-226

date-format (cm-fallback) VR-430

date-format (telephony-service) VR-431

debug alarm-interface DB-29

debug atm native DB-93

debug atm nbma DB-95

debug bgp nsap DB-111

debug bgp nsap dampening DB-113

debug bgp nsap updates DB-115

debug cgma DB-249

debug cns management DB-271

debug ephone alarm DB-404

debug ephone detail DB-406

debug ephone error DB-410

debug ephone keepalive DB-412

debug ephone mwi DB-414

debug ephone pak DB-416

debug ephone raw DB-419

debug ephone register **DB-421**
 debug ephone state **DB-423**
 debug ephone statistics **DB-425**
 debug fmsp receive **DB-491**
 debug fmsp send **DB-493**
 debug foip off-ramp **DB-495**
 debug foip on-ramp **DB-496**
 debug frame-relay multilink **DB-515**
 debug mpls atm-ldp failure **DB-1017**
 debug mwi relay errors **DB-1115**
 debug mwi relay events **DB-1117**
 debug piafs events command **DB-1141**
 debug saa slm **DB-1266**
 debug ssg ctrl-errors **DB-1337**
 debug ssg ctrl-events **DB-1338**
 debug ssg ctrl-packets **DB-1339**
 debug ssg data **DB-1340**
 debug ssg data-nat **DB-1341**
 debug ssg errors **DB-1342**
 debug ssg events **DB-1343**
 debug ssg packets **DB-1344**
 default (ca-trustpoint) **SR-267**
 default-destination (cm-fallback) **VR-434**
 default-information originate (IPv6 IS-IS) **IPv6R-90**
 dialer order **DR-175**
 dialer watch-list delay **DR-210**
 dialplan-pattern (cm-fallback) **VR-467**
 dialplan-pattern (telephony-service) **VR-469**
 directory (telephony-service) **VR-477**
 dns **SR-277**
 dn-webedit (telephony-service) **VR-487**
 do **CFR-184**
 domain (isakmp group) **SR-284**
 dsl equipment-type **WR-119**
 dsl linerate **WR-121**
 encapsulation frame-relay mfr **WR-141**
 enrollment http-proxy **SR-293**
 ephone **VR-549**
 ephone-dn **VR-551**
 fax rate (pots) **VR-570**
 fax rate (voice-service) **VR-571**
 frame-relay multilink ack **WR-240**
 frame-relay multilink bid **WR-242**
 frame-relay multilink hello **WR-244**
 frame-relay multilink lid **WR-246**
 frame-relay multilink output-threshold **WR-248**
 frame-relay multilink retry **WR-250**
 hold-alert (ephone-dn) **VR-667**
 huntstop (cm-fallback) **VR-690**
 huntstop (ephone-dn) **VR-691**
 icpif **VR-694**
 intercom (ephone-dn) **VR-713**
 interface mfr **WR-298**
 interface range **IR-184**
 ip-address (ca-trustpoint) **SR-434**
 ip address pool **IP1R-125**
 ip dhcp aaa default username **IP1R-134**
 ip dhcp bootp ignore **IP1R-136**
 ip director cache refresh **CFR-251**
 ip director cache size **CFR-252**
 ip director cache time **CFR-253**
 ip director drp synchronized **CFR-264**
 ip drp domain **CFR-277**
 ip igmp explicit-tracking **IP3R-47**
 ip inspect hashtable **SR-338**
 ip rtcp report interval **VR-724**
 ip source-address (cm-fallback) **VR-725**
 ip source-address (telephony-service) **VR-727**
 ipv6 neighbor **IPv6R-170**
 ipv6 router isis **IPv6R-204**
 isis network point-to-point **IP2R-244**
 keepalive (cm-fallback) **VR-768**
 keepalive (telephony-service) **VR-770**
 key (isakmp group) **SR-448**
 l2tp tunnel no-session timeout **DR-404**
 limit-dn (cm-fallback) **VR-772**
 line-cli **CFR-324**
 load (telephony-service) **VR-775**

logging count **CFR-342**
 mac-address (ephone) **VR-796**
 mac-address-table aging-time **XR-137**
 mac-address-table dynamic **XR-139**
 mac-address-table secure **XR-142**
 mac-address-table static **XR-145**
 match protocol rtp **QR-197**
 max-conferences (telephony-service) **VR-807**
 max-dn (cm-fallback) **VR-812**
 max-dn (telephony-service) **VR-814**
 max-ephones (cm-fallback) **VR-816**
 max-ephones (telephony-service) **VR-818**
 maximum-paths (IPv6) **IPv6R-230**
 mgcp fax t38 **VR-841**
 mgcp rtrcac **VR-881**
 mgcp src-cac **VR-887**
 moh (cm-fallback) **VR-932**
 moh (telephony-service) **VR-936**
 monitor session **XR-168**
 mpls experimental **QR-205**
 mpls traffic-eng atm cos global-pool **XR-232**
 mpls traffic-eng atm cos sub-pool **XR-233**
 mwi (ephone-dn) **VR-965**
 mwi expires (telephony-service) **VR-967**
 mwi relay (telephony-service) **VR-968**
 mwi sip (ephone-dn) **VR-969**
 mwi sip-server (telephony-service) **VR-971**
 name (ephone-dn) **VR-974**
 neighbor (annex g) **VR-976**
 number (ephone-dn) **VR-989**
 origin **IP1R-253**
 paging (ephone-dn) **VR-1004**
 paging-dn (ephone) **VR-1008**
 paging group (ephone-dn) **VR-1006**
 password (ca-trustpoint) **SR-469**
 pattern direct (vm-integration) **VR-1010**
 pattern ext-to-ext busy (vm-integration) **VR-1012**
 pattern ext-to-ext no-answer (vm-integration) **VR-1014**
 pattern trunk-to-ext busy (vm-integration) **VR-1016**
 pattern trunk-to-ext no-answer (vm-integration) **VR-1018**
 pool (isakmp-group) **SR-475**
 power inline **IR-258**
 preference (ephone-dn) **VR-1069**
 primary **SR-500**
 random-detect ecn **QR-275**
 redistribute (BGP to ISO IS-IS) **IP2R-381**
 redistribute (ISO IS-IS to BGP) **IP2R-388**
 rel1xx **VR-1099**
 reset (alarm-interface) **IR-262**
 reset (cm-fallback) **VR-1104**
 reset (ephone) **VR-1105**
 reset (telephony-service) **VR-1106**
 retry comet **VR-1118**
 retry notify **VR-1123**
 retry prack **VR-1125**
 retry rel1xx **VR-1128**
 reverse-route **SR-547**
 root **SR-549**
 rsakeypair **SR-553**
 server (boomerang) **CFR-520**
 server flow-control **VR-1181**
 set aggressive-mode client-endpoint **SR-566**
 set aggressive-mode password **SR-568**
 set pstn-cause **VR-1246**
 set sip-status **VR-1248**
 show alarm-interface **IR-299**
 show bgp nsap **IP2R-455**
 show bgp nsap community **IP2R-458**
 show bgp nsap community-list **IP2R-460**
 show bgp nsap dampened-paths **IP2R-462**
 show bgp nsap filter-list **IP2R-464**
 show bgp nsap flap-statistics **IP2R-466**
 show bgp nsap inconsistent-as **IP2R-468**
 show bgp nsap neighbors **IP2R-470**
 show bgp nsap paths **IP2R-477**
 show bgp nsap quote-regexp **IP2R-478**
 show bgp nsap regexp **IP2R-480**
 show bgp nsap summary **IP2R-482**

show call-manager-fallback all VR-1343
 show call-manager-fallback dial-peer VR-1346
 show call-manager-fallback ephone-dn VR-1348
 show call-manager-fallback voice-port VR-1350
 show cns config connections CFR-588
 show cns event connections CFR-592
 show controllers j1 IR-330
 show crypto ca timers SR-598
 show crypto ca trustpoints SR-599
 show ephone VR-1408
 show ephone-dn VR-1411
 show frame-relay multilink WR-514
 show ip dhcp pool IP1R-308
 show ip drp boomerang CFR-655
 show ip igmp membership IP3R-207
 show ip ospf sham-links IP2R-568
 show ipv6 protocols IPv6R-383
 show logging count CFR-666
 show mac-address-table XR-429
 show mac-address-table aging-time XR-431
 show mac-address-table dynamic XR-433
 show mac-address-table static XR-436
 show mwi relay clients VR-1518
 show piafs status VR-1521
 show pots volume VR-1528
 show power inline IR-531
 show redundancy IR-532
 show sip-ua map VR-1573
 show spantree XR-540
 show ssg binding WR-566
 show ssg connection WR-567
 show ssg direction WR-569
 show ssg host WR-570
 show ssg next-hop WR-572
 show ssg pass-through-filter WR-574
 show ssg pending-command WR-575
 show ssg service WR-582
 show ssg vc-service-map WR-587
 show storm-control IR-543
 show telephony-service admin VR-1615
 show telephony-service all VR-1616
 show telephony-service dial-peer VR-1619
 show telephony-service ephone VR-1621
 show telephony-service ephone-dn VR-1623
 show telephony-service voice-port VR-1626
 show vlan-switch XR-555
 show vpdn group DR-994
 show vtp XR-557
 signal did VR-1728
 silent-fax VR-1757
 sip VR-1758
 snmp-server enable traps director CFR-843
 snmp-server enable traps ipsec SR-663
 snmp-server enable traps isakmp SR-665
 snmp-server enable traps mpls traffic-eng CFR-857, XR-579
 snmp-server enable traps pppoe CFR-864
 source vpdn-template DR-1016
 spanning-tree cost XR-583
 spanning-tree port-priority XR-585
 spanning-tree vlan XR-586
 speed-dial (ephone) VR-1764
 srv version VR-1765
 ssg accounting WR-644
 ssg accounting interval WR-643
 ssg bind direction WR-651
 ssg bind service WR-653
 ssg default-network WR-655
 ssg enable WR-656
 ssg local-forwarding WR-657
 ssg maxservice WR-658
 ssg next-hop download WR-659
 ssg pass-through WR-661
 ssg profile-cache WR-671
 ssg radius-helper WR-675
 ssg service-password WR-678
 ssg service-search-order WR-679
 ssg vc-service-map WR-683
 subaddress VR-1797

subject-name SR-671
 summary-prefix (IPv6 IS-IS) IPv6R-420
 synchronization (IPv6) IPv6R-423
 telephony-service VR-1824
 time-format (cm-fallback) VR-1867
 timeouts interdigit (cm-fallback) VR-1896
 timeouts interdigit (telephony-service) VR-1898
 timer receive-rtcp (SIP) VR-1910
 timers comet VR-1917
 timers notify VR-1922
 timers prack VR-1923
 timers rel1xx VR-1925
 time-webedit (telephony-service) VR-1927
 transfer-pattern (cm-fallback) VR-1964
 transfer-pattern (telephony-service) VR-1965
 translate (cm-fallback) VR-1971
 translate (ephone-dn) VR-1973
 ttl dns CFR-983
 ttl ip CFR-985
 url (SIP) VR-2013
 url (telephony-service) VR-2015
 usage SR-681
 username (ephone) VR-2022
 username secret SR-686
 utilization mark high IP1R-405
 utilization mark low IP1R-406
 vbd-playout-delay maximum VR-2029
 vbd-playout-delay minimum VR-2030
 vbd-playout-delay mode VR-2031
 vbd-playout-delay nominal VR-2032
 vlan (VLAN configuration mode) XR-623
 vlan database XR-621
 vm-device-id (ephone) VR-2036
 vm-integration VR-2037
 voice-class sip rel1xx VR-2107
 voice-class sip url VR-2109
 voicemail (cm-fallback) VR-2113
 voicemail (telephony-service) VR-2115
 volume VR-2125

vpdn-template DR-1085
 vpn id XR-626
 vrf IP1R-409
 vtp client XR-627
 vtp domain XR-628
 vtp password XR-629
 vtp server XR-630
 vtp transparent XR-631
 vtp v2-mode XR-633
 wins SR-692
 x25 map rbp local WR-745, WR-767
 x25 map rbp remote WR-747
 x25 pvc rbp remote WR-769
 xot access-group WR-819

12.2(8)T Modified Commands

aaa route download DR-5
 audio-prompt load VR-56
 clear ip dhcp binding IP1R-43
 clear ip dhcp conflict IP1R-45
 cns config initial CFR-112
 cns config partial CFR-115
 cns event CFR-118
 controller IR-94
 copy IPv6R-35
 crypto key generate rsa (CA) SR-233
 crypto key zeroize rsa SR-241
 crypto map (interface IPsec) SR-249
 debug cns config DB-266
 debug cns event DB-268
 debug ip nat DB-655
 debug x25 DB-1668
 dialer map DR-165
 ds0-group (J1 controller) IR-112
 dsl operating-mode (G.SHDSL) WR-125
 encapsulation dot1q XR-49
 expect-factor VR-554
 ip address dhcp IP1R-122

ip address-pool DR-269
 ip dhcp relay information option IP1R-145
 ip director default priorities CFR-254
 ip director host priority CFR-265
 ip helper-address IP1R-163
 ip nat service IP1R-187
 ip tcp adjust-mss WR-301
 ip tcp window-size IP1R-226
 ipv6 icmp error-interval IPv6R-137
 keepalive IR-194
 loopback (J1 controller) IR-205
 match community IP2R-266
 match protocol http QR-195
 mgcp dtmf-relay VR-837
 mgcp package-capability VR-860
 mgcp timer VR-888
 microcode reload controller VR-895
 microcode reload controller (J1) IR-226
 mode (T1/E1 controller) VR-914
 neighbor local-as IP2R-321
 neighbor prefix-list IP2R-335
 network (BGP and multiprotocol BGP) IP2R-362
 network-clock-participate VR-979
 peer default ip address DR-504
 ppp multilink interleave DR-564
 set comm-list delete IP2R-409
 show adjacency XR-287
 show cdp entry IPv6R-313
 show cdp neighbors IPv6R-315
 show diag IR-371
 show dialplan incall VR-1399
 show dialplan number VR-1402
 show etherchannel IR-408
 show gatekeeper status VR-1434
 show ip bgp neighbors IP2R-510
 show ip community-list IP2R-523
 show ip sctp association parameters VR-1465
 show ipv6 neighbors IPv6R-359
 show ipv6 route IPv6R-390
 show ip vrf XR-396
 show logging CFR-662
 show mgcp VR-1481
 show mgcp connection VR-1487
 show mgcp endpoint VR-1490
 show mgcp nas VR-1493
 show mgcp profile VR-1496
 show mgcp statistics VR-1500
 show mpls forwarding-table IPv6R-410, XR-458
 show mpls traffic-eng topology XR-506
 show policy-map QR-408
 show policy-map interface QR-418
 show sip-ua retry VR-1576
 show sip-ua statistics VR-1578, VR-1584
 show sip-ua timers VR-1587
 show standby IP1R-353
 show x25 context WR-593
 show x25 map WR-601
 show x25 profile WR-604
 show x25 vc WR-610
 show x25 xot WR-617
 snmp-server host CFR-884
 ssh IPv6R-418
 tunnel mpls traffic-eng bandwidth XR-615
 voice-card VR-2105
 voice-port VR-2117

12.2(8)T Replaced Commands

crl optional SR-160
 crl query SR-161
 crypto ca certificate query (global) SR-171
 crypto ca identity SR-178
 crypto ca trusted-root SR-182
 enrollment mode ra SR-294
 enrollment retry-count SR-295
 enrollment retry-period SR-296
 enrollment url SR-298
 query url SR-507

root CEP SR-550
 root PROXY SR-551
 root TFTP SR-552
 show crypto ca roots SR-597

12.2(11)T New Commands

aaa nas port voip VR-2
 access-list VR-7
 access-policy VR-9
 accounting method VR-10
 accounting suppress VR-11
 accounting template VR-12
 acct-template VR-15
 atm-alm statistics CFR-35
 attribute acct-session-id overloaded VR-53
 attribute h323-remote-id resolved VR-55
 authentication method VR-58
 authorization method VR-59
 call accounting-template voice VR-102
 call accounting-template voice reload VR-103
 call application alternate VR-104
 call application voice dsn-script VR-124
 call application voice mail-script VR-135
 call application voice security trusted VR-150
 call-block (dial-peer) VR-228
 carrier-id (dial-peer) VR-279
 carrier-id (trunk group) VR-282
 carrier-id (voice source group) VR-284
 cause-code VR-286
 ccm-manager config VR-288
 ccm-manager fallback-mgcp VR-290
 ccm-manager music-on-hold VR-293
 ccm-manager music-on-hold bind VR-295
 ccm-manager switchover-to-backup VR-301
 channel-group (EtherChannel) IR-43
 clear h323 gatekeeper endpoint VR-350
 clear mrpc client statistics VR-359
 clear rpms-proc counters VR-362
 clear vsp statistics VR-371
 clid network-number VR-372
 clid restrict VR-373
 clid second-number strip VR-374
 clid strip VR-376
 debug cch323 capacity DB-194
 debug cch323 h225 DB-197
 debug cch323 h245 DB-200
 debug cch323 preauth DB-203
 debug cch323 ras DB-205
 debug ccsip preauth DB-234
 debug condition application voice DB-280
 debug crm DB-307
 debug csm tgrm DB-330
 debug dialpeer DB-361
 debug fax relay t30 DB-487
 debug h225 DB-550
 debug http client DB-561
 debug isdn tgrm DB-838
 debug modem relay errors DB-997
 debug modem relay events DB-998
 debug modem relay packetizer DB-1000
 debug modem relay physical DB-1002
 debug modem relay udp DB-1006
 debug modem relay v42 DB-1008
 debug moden relay sprt DB-1004
 debug mrpc DB-1100
 debug ras DB-1200
 debug redundancy as5850 DB-1202
 debug rpms-proc preauth DB-1211
 debug rtsp all DB-1247
 debug rtsp api DB-1250
 debug rtsp client DB-1252
 debug rtsp error DB-1224, DB-1253
 debug rtsp pmh DB-1254
 debug rtsp session DB-1255
 debug rtsp socket DB-1257
 debug ss7 mtp1 DB-1323
 debug voice enum DB-1462

debug voice source-group DB-1469
 debug voice translation DB-1473
 debug voip aaa DB-1478
 debug voip ccapi DB-1479
 debug voip ccapi error DB-1481
 debug voip ccapi inout DB-1482
 debug voip enum DB-1494
 debug voip ivr all DB-1508
 debug voip ivr applib DB-1511
 debug voip ivr callsetup DB-1516
 debug voip ivr digitcollect DB-1519
 debug voip ivr dynamic DB-1522
 debug voip ivr error DB-1527
 debug voip ivr script DB-1529
 debug voip ivr settlement DB-1531
 debug voip ivr states DB-1533
 debug voip ivr tclcommands DB-1537
 debug voip rawmsg DB-1540
 debug voip settlement ssl DB-1562
 debug vtsp error DB-1640
 debug vtsp event DB-1641
 debug vtsp port DB-1644
 debug vtsp rtp DB-1647
 debug vtsp send-nse DB-1649
 debug vtsp session DB-1650
 debug vtsp stats DB-1654
 debug vtsp tone DB-1656
 debug vtsp vofr subframe DB-1657
 debug vxml DB-1659
 debug xcsp DB-1681
 description (ephone-dn) VR-443
 description (trunk group) VR-445
 description (voice source group) VR-446
 dialer extsig VR-454
 dnis VR-483
 dnis-map VR-485
 domain-name VR-489
 endpoint circuit-id h323id VR-544
 endpoint naming VR-546
 endpoint resource-threshold VR-547
 enhanced-histoy CFR-192
 extsig mgcp VR-555
 failover group-number DR-238
 filter voice VR-590
 gw-accounting aaa VR-637
 h323zone-id (voice source group) VR-664
 http client cache memory VR-670
 http client cache refresh VR-672
 http client connection idle timeout VR-674
 http client connection persistent VR-675
 http client connection timeout VR-676
 http client response timeout VR-677
 hunt-scheme least-idle VR-678
 hunt-scheme least-used VR-680
 hunt-scheme longest-idle VR-682
 hunt-scheme random VR-684
 hunt-scheme round-robin VR-685
 hunt-scheme sequential VR-687
 inbound ttl VR-706
 irq global-request VR-730
 isdn bind-l3 ccm-manager VR-732
 ivr asr-server VR-753
 ivr prompt streamed VR-761
 ivr record memory session VR-762
 ivr record memory system VR-763
 ivr tts-server VR-764
 ivr tts-voice-profile VR-765
 limit retransmissions IP2R-259
 lrp reject-resource-low VR-789
 lrp reject-unknown-circuit VR-790
 max-calls VR-805
 method VR-823
 mgcp modem relay voip gateway-xid VR-853
 mgcp modem relay voip latency VR-855
 mgcp modem relay voip mode VR-857
 mgcp modem relay voip sprt retries VR-859
 mgcp rtp payload-type VR-877
 mgcp sgcp disconnect notify VR-884

min-se (SIP) VR-897
 mode (RSC redundancy) IR-229
 mode bles VR-917
 modem relay (dial-peer) VR-923
 modem relay (voice-service) VR-925
 modem relay gateway-xid VR-927
 modem relay latency VR-929
 modem relay sprt retries VR-931
 mrcp client session history duration VR-938
 mrcp client session history records VR-939
 mrcp client statistics enable VR-940
 mrcp client timeout connect VR-941
 mrcp client timeout message VR-942
 outbound retry-interval VR-997
 radius-server attribute 6 VR-1086
 radius-server attribute 8 include-in-access-req SR-518
 rbs-zero VR-1093
 redundancy handover IR-260
 register e164 VR-1096
 resource threshold VR-1108
 retry interval VR-1120
 retry window VR-1132
 rtsp client timeout connect VR-1153
 rtsp client timeout message VR-1154
 rule (ENUM configuration) VR-1157
 rule (voice translation-rule) VR-1159
 server absent reject VR-1180
 server routing VR-1186
 server trigger brq VR-1190
 server trigger drq VR-1193
 service-relationship VR-1218
 service-type call-check VR-1219
 set port flowcontrol XR-283
 show call accounting-template voice VR-1288
 show crm VR-1375
 show debug condition VR-1383
 show gatekeeper calls VR-1416
 show http client cache VR-1453
 show http client connection VR-1455
 show http client history VR-1457
 show modem relay statistics VR-1504
 show mrcp client session active VR-1509
 show mrcp client session history VR-1512
 show mrcp client statistics hostname VR-1516
 show port flowcontrol XR-528
 show raw VR-1536
 show rpms-proc counters VR-1546
 show sip-ua min-se VR-1575
 show ss7 mtp1 channel-id VR-1589
 show ss7 mtp1 links VR-1592
 show tech-support modem DR-982
 show tech-support spe DR-984
 show trunk group VR-1632
 show voice dnis-map VR-1653
 show voice enum-match-table VR-1659
 show voice hpi capture VR-1660
 show voice source-group VR-1676
 show voice translation-profile VR-1679
 show voice translation-rule VR-1681
 show vsp VR-1703
 show xcsp port VR-1707
 show xcsp slot VR-1709
 shutdown (Annex G neighbor) VR-1711
 signaling forward VR-1751
 signaling forward (dial-peer) VR-1753
 suppress VR-1812
 tech-prefix VR-1822
 test enum VR-1834
 test source-group VR-1838
 test voice translation-rule VR-1855
 timeout leg3 VR-1868
 timer irr period VR-1906
 timer server retry VR-1912
 translation-profile (dial-peer) VR-1979
 translation-profile (source group) VR-1980
 translation-profile (trunk group) VR-1981
 translation-profile (voice port) VR-1982
 translation-profile (voice service POTS) VR-1983

trunk group **VR-1988**
trunk-group (CAS custom) **VR-1990**
trunk-group (voice port) **VR-1996**
trunk-group-label (dial-peer) **VR-1998**
trunk-group-label (voice source group) **VR-1999**
type slm interface **CFR-1009**
usage-indication **VR-2018**
voice **VR-2043**
voice class aaa **VR-2065**
voice-class aaa **VR-2067**
voice dnis-map **VR-2088**
voice dnis-map load **VR-2090**
voice enum-match-table **VR-2092**
voice hpi capture **VR-2094**
voice source-group **VR-2101**
voice translation-profile **VR-2102**
voice translation-rule **VR-2103**
voip-incoming translation-profile **VR-2122**
zone circuit-id **VR-2136**

12.2(11)T Modified Commands

aaa pod server **SR-86**
busyout (port) **DR-34**
busyout (spe) **DR-35**
call application voice **VR-107**
call application voice language **VR-129**
call application voice load **VR-133**
call application voice set-location **VR-152**
channel-group **DR-65**
clear port **DR-95**
clear spe **DR-101**
clear spe counters **DR-103**
clear spe log **DR-105**
codec aal2-profile **VR-386**
debug hpi **DB-559**
debug mgcp **DB-972**
debug radius **DB-1195**
debug rtsp **DB-1218**
debug rtsp socket **DB-1233**
debug ss7 mtp2 **DB-1327**
debug ss7 sm **DB-1334**
debug voip ivr **DB-1502**
debug vtsp **DB-1628**
debug vtsp all **DB-1631**
debug vtsp dsp **DB-1638**
dialer-group (template) **DR-149**
dialer idle-timeout (template) **DR-154**
dialer-list protocol (Dial) **DR-160**
dialer persistent **DR-178**
encapsulation **IR-124**
endpoint alt-ep collect **VR-540**
endpoint alt-ep h323id **VR-542**
firmware location **DR-240**
firmware upgrade **DR-244**
ip cef **XR-65**
ip idle-group **DR-275**
ip pmtu **DR-280**
isdn piafs-enabled **DR-339**
isdn t306 **DR-361**
isdn t310 **DR-363**
l2f tunnel busy timeout **DR-384**
l2f tunnel retransmit initial retries **DR-385**
l2f tunnel retransmit retries **DR-386**
l2f tunnel timeout setup **DR-387**
l2tp security crypto-profile **DR-399**
l2tp tunnel busy timeout **DR-402**
l2tp tunnel no-session timeout **DR-404**
l2tp tunnel retransmit initial retries **DR-408**
l2tp tunnel retransmit initial timeout **DR-409**
modem passthrough (voice-service) **VR-921**
monitor traffic line **DR-491**
port modem autotest **DR-516**
ppp ipcp predictive **DR-544**
ppp lcp predictive **DR-548**
ppp timeout idle (template) **DR-581**
pri-group **VR-1074**
redundancy **DR-603**

session-limit (VPDN) DR-646
 session target (MMoIP dial peer) VR-1229
 session target (VoIP dial peer) VR-1239
 show aaa attributes SR-584
 show call calltracker active DR-661
 show call calltracker history DR-665
 show call-router status VR-1354
 show ccm-manager VR-1357
 show gatekeeper endpoint circuits VR-1421
 show gatekeeper endpoints VR-1423
 show interfaces serial IR-480
 show mgcp VR-1481
 show modem configuration DR-803
 show modem operational-status DR-836
 show port config DR-872
 show port digital log DR-877
 show port log DR-880
 show port modem calltracker DR-885
 show port modem log DR-888
 show port modem test DR-896
 show port operational-status DR-899
 show redundancy IR-532
 show sip-ua statistics VR-1578, VR-1584
 show spe DR-931
 show spe digital DR-935
 show spe digital active DR-937
 show spe digital csr DR-939
 show spe digital disconnect-reason DR-941
 show spe digital summary DR-943
 show spe log DR-945
 show spe modem DR-947
 show spe modem active DR-950
 show spe modem csr DR-952
 show spe modem disconnect-reason DR-954
 show spe modem high speed DR-956
 show spe modem high standard DR-960
 show spe modem low speed DR-962
 show spe modem low standard DR-964
 show spe modem summary DR-967
 show spe recovery DR-970
 show spe version DR-973
 show vrm vdevices VR-1693
 shutdown (port) DR-1007
 shutdown (spe) DR-1009
 signal VR-1724
 spe DR-1018
 spe call-record modem DR-1020
 spe country DR-1022
 spe download maintenance DR-1025
 spe log-size DR-1027
 spe recovery DR-1028
 ss7 session VR-1774
 test port modem back-to-back DR-1042
 traceroute IPv6R-431
 translate (translation profiles) VR-1975
 trunkgroup (dial-peer) VR-1992
 trunk-group (interface) VR-1994
 url VR-2011

12.2(13)T New Commands

aaa authorization cache filterserver SR-58
 aaa filterserver SR-75
 address-pool WR-22
 allow-connections VR-31
 atm pppatm passive WR-56
 atm svc-upc-intent WR-67
 authentication key-chain IP2R-47
 authentication mode IP2R-49
 authentication send-only IP2R-51
 backup active interface WR-79
 bgp-policy IP2R-88
 bstun peer-map-poll B2R-91
 bump (Frame Relay VC-bundle-member) WR-86
 busyout action graceful VR-74
 busyout monitor gatekeeper VR-81
 cache clear age SR-132
 cache disable SR-133

cache max SR-134
 cache refresh SR-135
 calling-info pstn-to-sip VR-263
 calling-info sip-to-pstn VR-265
 capability vrf-lite IP2R-92
 channelized IR-47
 clear aaa cache filterserver acl SR-139
 clear crypto engine accelerator counter SR-141
 clear crypto ipsec client ezvpn SR-143
 clear ip rsvp counters QR-31
 clear ip rsvp signalling rate-limit QR-33
 clear ip rsvp signalling refresh reduction QR-34
 clear ip snat sessions IP1R-57
 clear ip snat translation distributed IP1R-58
 clear ip snat translation peer IP1R-59
 clear ipv6 access-list IPv6R-23
 clear ipv6 nat translation IPv6R-24
 clear ipv6 rip IPv6R-30
 clear sip-ua statistics VR-366
 clear vpdn counters DR-107
 clear vpdn redirect DR-110
 clear xsm CFR-97
 compression header ip QR-35
 crypto ca import SR-181
 crypto ipsec client ezvpn (global) SR-192
 crypto ipsec client ezvpn (interface) SR-195
 crypto ipsec client ezvpn xauth SR-199
 crypto ipsec fragmentation (global) SR-204
 crypto ipsec fragmentation (interface) SR-205
 crypto ipsec optional SR-207
 crypto ipsec optional retry SR-208
 crypto ipsec profile SR-209
 crypto isamkp nat keepalive SR-232
 crypto mib topn CFR-161
 dampening IP2R-111
 dbs enable WR-111
 debug aaa cache filterserver DB-21
 debug atm oam cc DB-96
 debug crypto ipsec client ezvpn DB-315
 debug dampening DB-339
 debug dspfarm DB-384
 debug frame-relay adjacency DB-500
 debug frame-relay vc-bundle DB-527
 debug ip rsvp dump-messages DB-694
 debug ip rsvp rate-limit DB-700
 debug ip rsvp reliable-msg DB-702
 debug ip rsvp summary-refresh DB-706
 debug ip snat DB-755, DB-899
 debug ipv6 cef drop DB-777, IPv6R-57
 debug ipv6 cef events DB-779, IPv6R-59
 debug ipv6 cef hash DB-781, IPv6R-61
 debug ipv6 cef receive DB-782, IPv6R-62
 debug ipv6 cef table DB-784, IPv6R-64
 debug ipv6 nat DB-788, IPv6R-70
 debug ipv6 pool DB-801, IPv6R-83
 debug isis authentication DB-842
 debug pppatm DB-1180
 debug sccp DB-1267
 debug ssg port-map DB-1345
 debug ssg tcp-redirect DB-1347
 debug sss aaa authorization event DB-1350
 debug sss aaa authorization fsm DB-1352
 debug sss error DB-1353
 debug sss event DB-1354
 debug sss fsm DB-1355
 debug vrrp all DB-1607
 debug vrrp error DB-1609
 debug vrrp events DB-1610
 debug vrrp packets DB-1611
 debug vrrp state DB-1612
 debug vtemplate subinterface DB-1626
 deny (IPv6) IPv6R-92
 dial-peer data VR-455
 dial-peer search type VR-459
 disable-early-media 180 VR-479
 distance bgp (IPv6) IPv6R-102
 download exclude-profile WR-115
 drop QR-40

dscp (Frame Relay VC-bundle-member) **WR-117**
dspfarm command **VR-503**
dspfarm confbridge maximum sessions **VR-507**
dspfarm connection interval **VR-509**
dspfarm rtp timeout **VR-510**
dspfarm transcoder maximum sessions **VR-511**
dsp services dspfarm **VR-501**
echo-cancel enable **VR-529**
echo-cancel erl worst-case **VR-532**
echo suppressor **VR-524**
encapsulation (Frame Relay VC-bundle) **WR-139**
enrollment terminal **SR-297**
evaluate (IPv6) **IPv6R-106**
exclude **WR-149**
exp **WR-151**
fax protocol t38 (voice-service) **VR-566**
forward accounting-start-stop **WR-153**
frame-relay fragment end-to-end **WR-197**
frame-relay vc-bundle **WR-271**
fsock **CFR-233**
group session-limit **DR-252**
idle-timeout **WR-277**
inarp (Frame Relay VC-bundle-member) **WR-290**
interface content-engine **IR-176**
ip circuit **VR-719**
ip local pool **DR-276**
ip mobile home-agent reject-static-address **IP4R-37**
ip mobile vpn-realm **IP4R-63**
ip multicast mrimfo-filter **IP3R-118**
ip multicast route-limit **IP3R-122**
ip nat stateful id **IP1R-189**
ip nhrp map multicast dynamic **IP1R-197**
ip pim bidir-enable **IP3R-141**
ip route static inter-vrf **XR-102**
ip rsvp listener **QR-113**
ip rsvp policy local **QR-124**
ip rsvp policy preempt **QR-128**
ip rsvp signalling initial-retransmit-delay **QR-145**
ip rsvp signalling patherr state-removal **QR-146**
ip rsvp signalling rate-limit **QR-148**
ip rsvp signalling refresh reduction **QR-149**
ip rsvp signalling refresh reduction ack-delay **QR-151**
ipv6 access-list log-update threshold **IPv6R-119**
ipv6 address autoconfig **IPv6R-120**
ipv6 cef **IPv6R-127**
ipv6 cef accounting **IPv6R-129**
ipv6 cef distributed **IPv6R-131**
ipv6 local pool **IPv6R-140**
ipv6 nat **IPv6R-142**
ipv6 nat max-entries **IPv6R-143**
ipv6 nat prefix **IPv6R-144**
ipv6 nat translation **IPv6R-146**
ipv6 nat v4v6 pool **IPv6R-148**
ipv6 nat v4v6 source **IPv6R-150**
ipv6 nat v6v4 pool **IPv6R-152**
ipv6 nat v6v4 source **IPv6R-154**
ipv6 nd prefix **IPv6R-162**
ip vrf forwarding (server-group) **SR-433**
isis authentication key-chain **IP2R-227**
isis authentication mode **IP2R-228**
isis authentication send-only **IP2R-230**
local-profile **WR-315**
loopback (PA-MC-8TE1+ port adapter) **IR-206**
match **WR-327**
match discard-class **QR-174**
match dscp **IPv6R-217, QR-175**
match fr-dlci **QR-177**
match mpls experimental topmost **QR-185**
match mpls-label **XR-149**
match packet length (class-map) **QR-187**
match precedence **IPv6R-225, QR-189**
mdt data **IP3R-186**
mdt default **IP3R-188**
mdt log-reuse **IP3R-190**
mgcp bind **VR-827**
mgcp validate domain-name **VR-893**
mobile-network **IP4R-64**
mode extended **WR-332**

mpls ip encapsulate explicit-null XR-183
 multihop hostname DR-493
 nat user-address WR-334
 neighbor send-label IPv6R-238, XR-266
 network (ssg-redirect) WR-336
 network-list WR-340
 oam-pvc manage cc WR-349
 oam-pvc manage cc deny WR-352
 oam retry cc WR-345
 peer default ipv6 address pool IPv6R-242
 permit (IPv6) IPv6R-244
 ping atm interface atm WR-359
 ping ip CFR-455
 port (ssg-redirect) WR-361
 port-list WR-363
 ppp authentication ms-chap-v2 SR-480
 ppp eap identity SR-491
 ppp eap local SR-492
 ppp eap password SR-493
 ppp eap refuse SR-494
 ppp eap wait SR-495
 ppp multilink multiclass DR-573
 pppoe limit max-sessions WR-367
 precedence (Frame Relay VC-bundle-member) WR-379
 protect (Frame Relay VC-bundle-member) WR-381
 pvc (Frame Relay VC-bundle) WR-392
 radius-server domain-stripping SR-530
 random-detect discard-class QR-263
 random-detect discard-class-based QR-265
 redirect captivate advertising default group WR-399
 redirect captivate initial default group duration WR-401
 redirection (SIP) VR-1095
 redirect port to WR-403
 redirect smtp group WR-405
 redirect unauthenticated-user to WR-407
 redirect unauthorized-service to WR-409
 register (mobile networks) IP4R-68
 remark (IPv6) IPv6R-265
 remote-party-id VR-1101
 sccp VR-1164
 sccp ip precedence VR-1168
 sccp loca VR-1169
 sccp switchback timeout guard VR-1170
 select WR-415
 server (SSG) WR-417
 server-group WR-419
 server-port WR-421
 server-private SR-562
 service-module content-engine reload IR-276
 service-module content-engine reset IR-277
 service-module content-engine session IR-279
 service-module content-engine session clear IR-278
 service-module content-engine shutdown IR-281
 service-module content-engine status IR-282
 service-module external ip address IR-284
 service-module ip address IR-285
 service-module ip default-gateway IR-286
 set discard-class QR-309
 set dscp IPv6R-266, QR-310
 set mpls experimental imposition XR-276
 set mpls experimental topmost XR-278
 set mpls-label XR-280
 set precedence IPv6R-271, QR-319
 set traffic-index IP2R-450
 show aaa cache filterserver SR-585
 show append CFR-602
 show atm pvc dbs WR-458
 show cef XR-290
 show cef interface policy-statistics XR-297
 show controllers content-engine IR-310
 show crypto engine accelerator ring SR-603
 show crypto engine accelerator statistic SR-606
 show crypto ipsec client ezvpn SR-610
 show dampening interface IP2R-484
 show dialplan dialpeer VR-1390
 show dialplan in-carrier VR-1395
 show dialplan in-trunk-group-label VR-1397
 show dspfarm VR-1405

show frame-relay vc-bundle **WR-537**
 show interface dampening **IP2R-485**
 show interfaces content-engine **IR-427**
 show ip bgp labels **XR-332**
 show ip local pool **DR-761**
 show ip mobile vpn-realm **IP4R-109**
 show ip pim mdt bgp **IP3R-256**
 show ip pim mdt history **IP3R-257**
 show ip pim mdt receive **IP3R-258**
 show ip pim mdt send **IP3R-260**
 show ip rsvp listeners **QR-381**
 show ip rsvp policy local **QR-388**
 show ip rsvp signalling **QR-396**
 show ip rsvp signalling blockade **QR-399**
 show ip rsvp signalling rate-limit **QR-402**
 show ip rsvp signalling refresh reduction **QR-404**
 show ip snat **IP1R-341**
 show ipv6 cef **IPv6R-337**
 show ipv6 cef adjacency **IPv6R-340**
 show ipv6 cef non-recursive **IPv6R-342**
 show ipv6 cef summary **IPv6R-344**
 show ipv6 cef traffic prefix-length **IPv6R-346**
 show ipv6 cef unresolved **IPv6R-348**
 show ipv6 local pool **IPv6R-353**
 show ipv6 nat statistics **IPv6R-356**
 show ipv6 nat translations **IPv6R-357**
 show pas vam controller **IR-527**
 show pas vam interface **IR-528**
 show pppatm summary **WR-555**
 show pppatm trace **WR-557**
 show redirect **CFR-609**
 show sccp **VR-1559**
 show snmp mib notification-log **CFR-776**
 show ssg auto-domain exclude-profile **WR-565**
 show ssg open-garden **WR-573**
 show ssg port-map ip **WR-576**
 show ssg port-map status **WR-578**
 show ssg radius-proxy address-pool **WR-580**
 show ssg tcp-redirect group **WR-584**
 show sss session **DR-979**
 show table-map **QR-450**
 show tcp-redirect mappings **WR-588**
 show tee **CFR-611**
 show vrrp **IP1R-363**
 show vrrp interface **IP1R-366**
 show xsm status **CFR-804**
 show xsm xrd-list **CFR-806**
 snmp mib notification-log default **CFR-811**
 snmp mib notification-log default disable **CFR-813**
 snmp mib notification-log globalageout **CFR-815**
 snmp mib notification-log globalsize **CFR-816**
 snmp-server enable traps atm pvc extension
 mibversion **CFR-830**
 snmp-server enable traps atm subif **CFR-837**
 snmp-server enable traps frame-relay subif **CFR-851**
 snmp-server enable traps mpls ldp **CFR-855, XR-577**
 snmp-server enable traps mpls vpn **CFR-859, XR-581**
 snmp-server enable traps srp **CFR-873**
 ssg auto-domain **WR-645**
 ssg auto-logoff arp **WR-647**
 ssg auto-logoff icmp **WR-649**
 ssg open-garden **WR-660**
 ssg port-map destination access-list **WR-663**
 ssg port-map destination range **WR-664**
 ssg port-map enable **WR-666**
 ssg port-map length **WR-667**
 ssg port-map source ip **WR-669**
 ssg qos police **WR-672**
 ssg radius-proxy **WR-676**
 ssg tcp-redirect **WR-681**
 subscriber access **DR-1034**
 subscriber authorization enable **DR-1037**
 table-map (value mapping) **QR-461**
 test call id **VR-1828**
 tunnel protection **SR-679**
 voice echo-canceller extended **VR-2091**
 vpdn authorize domain **DR-1061**
 vpdn redirect **DR-1076**

vpdn redirect attempts DR-1077
 vpdn redirect identifier DR-1078
 vpdn redirect source DR-1080
 vpn service WR-706
 vrrp authentication IP1R-410
 vrrp description IP1R-411
 vrrp ip IP1R-412
 vrrp preempt IP1R-414
 vrrp priority IP1R-416
 vrrp timers advertise IP1R-417
 vrrp timers learn IP1R-418
 x25 security clamm WR-786
 x25 security credn WR-788
 xsm CFR-1034
 xsm dvdn CFR-1035
 xsm edm CFR-1036
 xsm history edm CFR-1038
 xsm history vdm CFR-1039
 xsm privilege configuration level CFR-1040
 xsm privilege monitor level CFR-1042
 xsm vdm CFR-1044

12.2(13)T Modified Commands

aaa accounting SR-18
 aaa accounting delay-start SR-24
 aaa accounting send stop-record authentication
 failure SR-31
 aaa accounting update SR-34
 access-list (IP extended) IP1R-12
 accounting (server-group) SR-108
 appletalk protocol P2R-89
 appletalk routing P2R-95
 area-password IP2R-45
 attribute WR-76
 attribute (server-group) SR-116
 authorization (server-group) SR-122
 clear ip igmp group IP3R-16
 clear ip mobile binding IP4R-7
 clear ip mobile host-counters IP4R-9
 clear ip mobile secure IP4R-15
 clear ip mobile visitor IP4R-19
 clear ip mroute IP3R-19
 clear ip msdp peer IP3R-21
 clear ip msdp sa-cache IP3R-22
 clear ip msdp statistics IP3R-23
 clear ip pim auto-rp IP3R-26
 clear ipv6 traffic IPv6R-33
 codec (dial-peer) VR-378
 codec complexity VR-388
 codec preference VR-391
 comfort-noise VR-395
 copy IPv6R-35
 crypto engine accelerator SR-188
 crypto ipsec transform-set SR-213
 debug bgp ipv6 dampening DB-105, IPv6R-51
 debug bgp ipv6 updates DB-108, IPv6R-54
 debug ip igmp DB-454, DB-620
 debug ip mcache DB-469, DB-634
 debug ip mobile DB-477, DB-642
 debug ip mobile router DB-479, DB-644
 debug ip mpacket DB-481, DB-646
 debug ip msdp DB-652
 debug ip msdp resets DB-654
 debug ip nat DB-655
 debug ip pim auto-rp DB-679
 debug ip rsvp DB-687
 debug ipv6 packet IPv6R-80
 debug mgcp DB-972
 destination-pattern VR-447
 dial-peer voice VR-463
 domain-password IP2R-145
 ds0-group VR-492
 dsl equipment-type WR-119
 dspint dspfarm VR-513
 echo-cancel coverage VR-527
 encryption (IKE policy) SR-289
 enrollment SR-291
 fair-queue (WFQ) QR-53

fax protocol (dial-peer) VR-560
 fax protocol (voice-service) VR-562
 fax protocol t38 (dial-peer) VR-564
 frame-relay inverse-arp WR-210
 frame-relay map WR-230
 frame-relay payload-compression WR-252
 ip mobile foreign-agent IP4R-23
 ip mobile foreign-service IP4R-27
 ip mobile home-agent IP4R-30
 ip mobile host IP4R-40
 ip mobile mobile-networks IP4R-45
 ip mobile secure IP4R-56
 ip mobile tunnel IP4R-59
 ip mroute IP3R-78
 ip msdp border IP3R-82
 ip msdp cache-sa-state IP3R-84
 ip msdp default-peer IP3R-86
 ip msdp description IP3R-88
 ip msdp filter-sa-request IP3R-89
 ip msdp mesh-group IP3R-91
 ip msdp originator-id IP3R-92
 ip msdp peer IP3R-94
 ip msdp redistribute IP3R-96
 ip msdp sa-filter in IP3R-98
 ip msdp sa-filter out IP3R-100
 ip msdp sa-request IP3R-103
 ip msdp shutdown IP3R-105
 ip msdp ttl-threshold IP3R-106
 ip multicast cache-headers IP3R-110
 ip multicast multipath IP3R-119
 ip multicast-routing XR-95
 ip nat inside source IP1R-179
 ip nat outside source IP1R-182
 ip pim accept-register IP3R-137
 ip pim accept-rp IP3R-138
 ip pim bsr-candidate IP3R-145
 ip pim register-rate-limit IP3R-155
 ip pim register-source IP3R-157
 ip pim rp-announce-filter IP3R-161
 ip pim rp-candidate IP3R-163
 ip pim send-rp-announce IP3R-165
 ip pim send-rp-discovery IP3R-167
 ip pim spt-threshold IP3R-168
 ip pim ssm IP3R-169
 ip pim state-refresh disable IP3R-171
 ip radius source-interface SR-366
 ipv6 access-list IPv6R-115
 match dscp QR-175
 match protocol IPv6R-227, QR-191
 match qos-group QR-199
 mgcp call-agent VR-830
 mgcp sgcp restart notify VR-886
 neighbor update-source IP2R-354
 non-linear VR-986
 pattern direct (vm-integration) VR-1010
 pattern ext-to-ext busy (vm-integration) VR-1012
 pattern ext-to-ext no-answer (vm-integration) VR-1014
 pattern trunk-to-ext busy (vm-integration) VR-1016
 pattern trunk-to-ext no-answer (vm-integration) VR-1018
 permit (IP) IP1R-255
 ping CFR-451
 playout-delay (dial-peer) VR-1020
 playout-delay (voice-port) VR-1024
 police QR-209
 police (percent) QR-215
 port (dial-peer) VR-1032
 ppp authentication SR-477
 pppoe-client dial-pool-number WR-376
 pppoe max-sessions WR-373
 prefix VR-1071
 priority-list protocol QR-241
 queue-list protocol QR-259
 radius-server attribute 44 include-in-access-req SR-513
 radius-server attribute list SR-520
 redistribute P2R-417
 reverse-route SR-547
 set cos QR-306
 set ip precedence (policy-map) QR-316

set qos-group QR-322
 shape (percent) QR-327
 show appletalk adjacent-routes P2R-434
 show appletalk route P2R-469
 show appletalk traffic P2R-478
 show cef interface XR-293
 show cef linecard XR-299
 show class-map QR-349
 show crypto ipsec sa SR-612
 show crypto ipsec transform-set SR-616
 show crypto isakmp policy SR-619
 show dialplan number VR-1402
 show frame-relay ip tcp header-compression WR-506
 show frame-relay map WR-512
 show frame-relay pvc WR-518
 show interfaces serial IR-480
 show ip bgp vpnv4 XR-334
 show ip cef XR-353
 show ip cef vrf XR-365
 show ip igmp groups IP3R-202
 show ip igmp interface IP3R-205
 show ip mcache IP3R-212
 show ip mds interface XR-373
 show ip mobile globals IP4R-76
 show ip mobile host IP4R-78
 show ip mobile mobile-networks IP4R-83
 show ip mobile router IP4R-87
 show ip mobile router registration IP4R-92
 show ip mobile secure IP4R-97
 show ip mobile traffic IP4R-99
 show ip mobile tunnel IP4R-103
 show ip mobile violation IP4R-105
 show ip mobile visitor IP4R-107
 show ip mpacket IP3R-214
 show ip mroute IP3R-221
 show ip msdp count IP3R-230
 show ip msdp peer IP3R-232
 show ip msdp sa-cache IP3R-234
 show ip msdp summary IP3R-236
 show ip nat translations IP1R-320
 show ip pgm router IP3R-246
 show ip pim bsr IP3R-249
 show ip pim interface IP3R-251
 show ip pim neighbor IP3R-261
 show ip pim rp IP3R-263
 show ip pim rp-hash IP3R-266
 show ip rpf IP3R-270
 show ip rsvp QR-364
 show ip rsvp counters QR-369
 show ip rsvp interface QR-374
 show ip rsvp neighbor QR-383
 show ip rsvp policy QR-385
 show ipv6 access-list IPv6R-335
 show ipv6 rip IPv6R-386
 show ipv6 route IPv6R-390
 show ipv6 traffic IPv6R-398
 show line TR-104
 show policy-map QR-408
 show policy-map interface QR-418
 show ppp multilink DR-909
 show sip-ua statistics VR-1578
 show sip-ua status VR-1584
 show ssg connection WR-567
 show voice call VR-1645
 show vpdn session DR-1001
 show x25 cug WR-596
 snmp-server enable traps atm pvc extension CFR-832
 snmp-server enable traps frame-relay subif CFR-849
 snmp-server host CFR-884
 source vpdn-template DR-1016
 timers (IPv6 RIP) IPv6R-429
 translate tcp TR-167
 tunnel mode IR-611
 tx-ring-limit QR-471
 vm-integration VR-2037
 voice-card VR-2105
 voice-port VR-2117
 vpdn multihop DR-1071

vpdn-template DR-1085
 x25 subscribe cug-service WR-790
 x25 subscribe local-cug WR-795
 zone cluster remote VR-2138
 zone remote VR-2147

12.2(13)T Replaced Commands

match ip dscp QR-180
 match ip precedence QR-181
 set ip dscp QR-315
 set ip precedence (policy-map) QR-316
 show ip rsvp policy cops QR-387

12.2(15)T New Commands

aaa authorization template SR-64
 accounting (DHCP) IP1R-28
 ac name WR-20
 address-family ipv4 IP2R-18
 application (telephony-service) command VR-41
 area nssa translate IP2R-34
 au-3 IR-17
 au-4 tug-3 IR-18
 aug mapping IR-19
 auto qos voip QR-7
 b2 sd-ber IR-22
 bba-group pppoe WR-81
 bert pattern (T3/E3) IR-31
 bgp graceful-restart IP2R-77
 bgp upgrade-cli IP2R-87
 cablelength IR-35
 call-forward pattern VR-261
 capability lls IP2R-91
 ca trust-point SR-130
 clear crypto ipsec client ezvpn SR-143
 clear ip eigrp vrf neighbor IP2R-107
 clear ip rsvp authentication QR-29
 clear ip urlfilter cache SR-152
 clear ipv6 ospf IPv6R-27

clear logging xml CFR-91
 client authentication list SR-156
 client configuration address SR-157
 clock source (T3/E3 controller) IR-81
 collocated single-tunnel IP4R-20
 controller e3 IR-96
 create cnf-files VR-423
 crypto ca certificate map SR-166
 crypto ca export pkcs12 SR-176
 crypto ca import pkcs12 SR-179
 crypto ipsec IP1R-66
 crypto ipsec client ezvpn connect SR-198
 crypto ipsec client ezvpn xauth SR-199
 crypto isakmp profile SR-230
 crypto keyring SR-243
 crypto map isakmp-profile SR-256
 crypto set security-association idle-time SR-261
 debug acircuit DB-27
 debug ccsip info DB-285
 debug ccsip media DB-289
 debug condition DB-277
 debug condition glbp DB-282
 debug eigrp nsf DB-399
 debug eigrp nsf command DB-399
 debug frame-relay events DB-504
 debug glbp errors DB-544
 debug glbp events DB-545
 debug glbp packets DB-546
 debug glbp terse DB-547
 debug ip eigrp notifications DB-435, DB-600
 debug ip http all DB-437, DB-603
 debug ip http ssl error DB-440, DB-606
 debug ip mrouting DB-484, DB-649
 debug ip rsvp authentication DB-690
 debug ip rsvp traffic-control DB-708
 debug ip urlfilter DB-772, DB-916
 debug ipv6 ospf DB-793, IPv6R-75
 debug ipv6 ospf events DB-794, IPv6R-76
 debug ipv6 ospf lsdb DB-795, IPv6R-77

debug ipv6 ospf packet DB-796, IPv6R-78
 debug ipv6 ospf spf statistic DB-797, IPv6R-79
 debug isis spf-events DB-846
 debug isis spf-events DB-846
 debug mpls l2transport ipc DB-1024
 debug mpls l2transport packet DB-1026
 debug mpls l2transport signaling DB-1029
 debug mpls l2transport vc DB-1030
 debug track DB-1434
 delay (tracking) IP1R-68
 dsl operating-mode (ADSL over ISDN) WR-123
 dsu bandwidth IR-114
 dsu mode IR-117
 encapsulation (Any Transport over MPLS) XR-47
 exit-address-family IP2R-151
 frame-relay fragmentation voice-adaptive WR-199
 framing (E3 controller) IR-146
 framing (T3 controller) IR-150
 glbp authentication IP1R-90
 glbp forwarder preempt IP1R-91
 glbp ip IP1R-92
 glbp load-balancing IP1R-94
 glbp preempt IP1R-95
 glbp priority IP1R-96
 glbp timers IP1R-98
 glbp timers redirect IP1R-97
 glbp weighting IP1R-101
 glbp weighting track IP1R-99
 h450 h450-2 timeout VR-665
 h450 h450-3 timeout VR-666
 initiate-mode SR-310
 interface Dchannel VR-717
 ip access-list resequence IP1R-111
 ip flow ingress command XR-89
 ip http client secure-ciphersuite CFR-287
 ip http client secure-trustpoint CFR-289
 ip http ezvpn SR-332
 ip http max-connections CFR-291
 ip http secure-ciphersuite CFR-294
 ip http secure-client-auth CFR-296
 ip http secure-port CFR-297
 ip http secure-server CFR-298
 ip http secure-trustpoint CFR-300
 ip http timeout-policy CFR-303
 ip igmp limit (global) IP3R-57
 ip igmp limit (interface) IP3R-59
 ip mobile home-agent accounting IP4R-34
 ip mobile router-service collocated IP4R-54
 ip mobile router-service collocated registration
 retry IP4R-55
 ip multicast rpf backoff IP3R-123
 ip multicast rpf interval IP3R-125
 ip ospf resync-timeout IP2R-196
 ip policy-list IP2R-202
 ip rsvp admission-control compression predict QR-87
 ip rsvp authentication QR-91
 ip rsvp authentication challenge QR-93
 ip rsvp authentication key QR-95
 ip rsvp authentication lifetime hh:mm:ss QR-97
 ip rsvp authentication type QR-98
 ip rsvp authentication window-size QR-99
 ip urlfilter alert SR-416
 ip urlfilter allowmode SR-418
 ip urlfilter audit-trail SR-419
 ip urlfilter cache SR-421
 ip urlfilter exclusive-domain SR-423
 ip urlfilter max-request SR-425
 ip urlfilter max-resp-pak SR-426
 ip urlfilter server vendor SR-427
 ip urlfilter urlf-log SR-429
 ipv6 ospf area IPv6R-172
 ipv6 ospf cost IPv6R-174
 ipv6 ospf database-filter all out IPv6R-176
 ipv6 ospf dead-interval IPv6R-177
 ipv6 ospf demand-circuit IPv6R-178
 ipv6 ospf flood-reduction IPv6R-179
 ipv6 ospf hello-interval IPv6R-180
 ipv6 ospf mtu-ignore IPv6R-181

ipv6 ospf neighbor IPv6R-182
 ipv6 ospf network IPv6R-184
 ipv6 ospf priority IPv6R-186
 ipv6 ospf retransmit-interval IPv6R-187
 ipv6 ospf transmit-delay IPv6R-188
 ipv6 router ospf IPv6R-206
 ip vrf (tracking) IP1R-230
 isakmp authorization list SR-435
 isdn gtd VR-737
 isdn ie oli VR-739
 isdn suppserv mcid VR-747
 isdn T-active VR-750
 keepalive (isakmp profile) SR-436
 keyring SR-450
 logging buffered xml CFR-336
 logging console xml CFR-340
 logging host xml CFR-350
 logging monitor xml CFR-356
 loopback (E3 controller) IR-202
 loopback (T3 controller) IR-210
 main-fiber port IR-221
 match certificate SR-459
 match identity SR-461
 match policy-list IP2R-283
 mode (HSA redundancy) IR-227
 moh (ephone-dn) VR-934
 mpls l2transport route XR-187
 network-locale VR-985
 no crypto xauth SR-467
 oam-ac emulation-enable XR-270
 overhead j1 IR-244
 pre-shared-key SR-499
 pri-group (pri-slt) VR-1076
 protocol pppoe (ATM VC) WR-386
 quit SR-508
 radius-server unique-ident SR-543
 ras rrq dynamic prefixes VR-1089
 restart (ephone) VR-1112
 restart all (telephony-service) VR-1113
 retry refer VR-1127
 rrq dynamic-prefixes-accept VR-1148
 rsa-pubkey SR-554
 sctp VR-1171
 security acl answerarq VR-1175
 self-identity SR-557
 serial-number SR-558
 service local-directory VR-1217
 session-set VR-1228
 sessions max limit WR-428
 sessions per-mac limit WR-430
 sessions per-vc limit WR-432
 sessions per-vlan limit WR-434
 sessions throttle WR-435
 set isakmp-profile SR-569
 shape fr-voice-adapt WR-437
 show auto qos QR-346
 show controllers e3 IR-317
 show controllers sonet IR-343
 show controllers t3 IR-353
 show crypto isakmp key SR-618
 show crypto isakmp profile SR-621
 show gatekeeper zone prefix VR-1438
 show glbp IP1R-276
 show h323 gateway prefixes VR-1451
 show ip eigrp interfaces IP2R-533
 show ip eigrp vrf neighbors IP2R-535
 show ip eigrp vrf topology IP2R-537
 show ip eigrp vrf traffic IP2R-539
 show ip http server CFR-657
 show ip policy-list IP2R-573
 show ip rpf events IP3R-272
 show ip urlfilter cache SR-645
 show ip urlfilter config SR-647
 show ip urlfilter statistics SR-649
 show ipv6 ospf IPv6R-362
 show ipv6 ospf border-routers IPv6R-364
 show ipv6 ospf database IPv6R-365
 show ipv6 ospf flood-list IPv6R-371

show ipv6 ospf interface IPv6R-372
 show ipv6 ospf neighbor IPv6R-374
 show ipv6 ospf request-list IPv6R-376
 show ipv6 ospf retransmission-list IPv6R-377
 show ipv6 ospf summary-prefix IPv6R-378
 show ipv6 ospf virtual-links IPv6R-379
 show logging xml CFR-670
 show mpls l2transport hw-capability XR-470
 show mpls l2transport summary XR-472
 show mpls l2transport vc XR-473
 show sip-ua calls VR-1569
 show telephony-service tftp-bindings VR-1625
 show track IP1R-360
 source interface SR-667
 ss7 set VR-1790
 subnet prefix-length IP1R-391
 summary-prefix (IPv6 OSPF) IPv6R-422
 suspend-resume VR-1813
 template tunnel (mobile networks) IP4R-111
 template tunnel (mobile router) IP4R-112
 threshold metric IP1R-396
 timers nsf route-hold IP2R-618
 timers refer VR-1924
 timers throttle spf IP2R-626
 track interface IP1R-397
 track ip route IP1R-399
 track timer IP1R-401
 transfer-mode VR-1962
 transfer-system VR-1967
 type (ephone) VR-2002
 type slm controller CFR-1003
 update arp IP1R-403
 url idle VR-2017
 user-locale VR-2021
 virtual-template (BBA group) WR-703
 vrf (isakmp profile) SR-690
 web admin custome VR-2127
 web admin system VR-2128
 web customize load VR-2130

12.2(15)T Modified Commands

application VR-37
 bgp rr-group IP2R-85
 button (ephone) VR-88
 call application voice VR-107
 channel-group DR-65
 channel-id VR-322
 clear crypto sa SR-146
 clear ip nat translation IP1R-51
 clock source (SONET controller) IR-78
 clock source (T1/E1 controller) IR-79
 crypto ca trustpoint SR-183
 crypto ipsec client ezvpn (global) SR-192
 crypto ipsec client ezvpn (interface) SR-195
 crypto isakmp peer SR-226
 crypto key generate rsa (IKE) SR-236
 crypto map (global IPsec) SR-244
 debug ccsp events DB-283
 debug crypto isakmp DB-318
 debug ip inspect DB-460, DB-626
 debug ip pim DB-675
 debug iua as DB-851
 debug iua asp DB-852
 debug pppoe DB-1182
 debug voip rtcp DB-1544
 debug voip rtp DB-1546
 default-metric (EIGRP) IP2R-123
 deny (IP) IP1R-70
 description (ephone-dn) VR-443
 dialplan-pattern (telephony-service) VR-469
 dial-tdm-clock IR-108
 distribute-list in (IP) IP2R-138
 encapsulation (ATM) WR-134
 initiate-to DR-257
 ip as-path access-list IP2R-157
 ip community-list IP2R-164
 ip dhcp aaa default username IP1R-134
 ip extcommunity-list IP2R-171

ip helper-address IP1R-163
 ip http port CFR-293
 ip inspect name SR-343
 ip nat service IP1R-187
 ip ospf dead-interval IP2R-184
 ip pim query-interval IP3R-153
 isdn negotiate-bchan DR-332
 match community IP2R-266
 match extcommunity IP2R-268
 mdl IR-222
 national bit (controller) IR-237
 neighbor maximum-prefix IP2R-323
 network (EIGRP) IP2R-364
 network-clock-participate VR-979
 permit (IP) IP1R-255
 pppoe enable WR-365
 pri-group timeslots DR-593
 pvc WR-388
 redistribute (IP) IP2R-383
 reset (telephony-service) VR-1106
 rotary DR-627
 scramble IR-264
 set comm-list delete IP2R-409
 show atm pvc WR-451
 show crypto ipsec sa SR-612
 show frame-relay ip rtp header-compression QR-352
 show frame-relay pvc WR-518
 show ip bgp neighbors IP2R-510
 show ip dhcp binding IP1R-301
 show ip eigrp neighbors IP2R-527
 show ip mobile globals IP4R-76
 show ip mobile router IP4R-87
 show ip mobile router agent IP4R-85
 show ip mobile router interface IP4R-90
 show ip mobile router registration IP4R-92
 show ip mobile tunnel IP4R-103
 show ip nat translations IP1R-320
 show ip ospf IP2R-543
 show ip ospf neighbor IP2R-563

show ip pim interface IP3R-251
 show ip pim neighbor IP3R-261
 show ip rsvp counters QR-369
 show ip rsvp installed QR-371
 show ip rsvp interface QR-374
 show isdn DR-767
 show modem DR-784
 show modem call-stats DR-795
 show route-map IP2R-600
 show sip-ua status VR-1584
 show ss7 mtp1 links VR-1592
 show ss7 sm set VR-1609
 ss7 session VR-1774
 standby track IP1R-384
 virtual-template DR-1053
 voice call debug DB-1684, VR-2055

12.2(15)T Replaced Commands

debug tag-switching tdp peer directed-neighbors DB-1378
 logging CFR-350

12.3(1) New Commands

address-family VR-17
 advertise (tgrep) VR-23
 arq reject-resource-low VR-42
 authorization list SR-124
 authorization username SR-125
 auto secure SR-128
 call application voice accounting-template VR-117
 call application voice transfer mode VR-156
 call application voice transfer reroute-mode VR-158
 call service stop VR-213
 capacity update interval (dial peer) VR-274
 capacity update interval (trunk group) VR-275
 carrier-id (global) VR-281
 channel-group VR-320
 clear cns image connections CFR-88
 clear cns image status CFR-89

cli CFR-98
 cns image CFR-122
 cns image password CFR-124
 cns image retrieve CFR-125
 cns image retry CFR-127
 debug aaa sg-server selection DB-24
 debug cns image DB-270
 debug kron DB-856
 debug tgrep error DB-1402
 debug tgrep events DB-1404
 debug tgrep fsm DB-1406
 debug tgrep io DB-1409
 debug tgrep messages DB-1412
 debug tgrep msgdump DB-1414
 debug tgrep timer-event DB-1417
 debug tgrep timers DB-1421
 debug tgrep tripr DB-1423
 debug voip eddri DB-1492
 debug voip ipipgw DB-1497
 endpoint max-calls h323id VR-545
 ip multicast netflow egress XR-92
 ip multicast netflow ingress XR-93
 ip multicast netflow rpf-failure XR-94
 isdn bcac service audit DR-294
 isdn bcac service audit interface DR-295
 isdn bcac service audit trigger DR-297
 isdn bcac service retry in-serv-on-fail DR-299
 isdn bcac service timer DR-303
 isdn bcac service update linkup DR-305
 isdn bcac service update provision DR-306
 isdn logging DR-329
 isdn supp-service tbct VR-748
 kron occurrence CFR-320
 kron policy-list CFR-322
 neighbor (tgrep) VR-977
 no isdn bcac service retry max DR-301
 policy-list CFR-458
 radius-server retry method reorder SR-540
 radius-server transaction max-tries SR-542
 rtr slm frame-relay statistics CFR-506
 security authentication failure rate SR-555
 security password min-length SR-556
 show auto secure config SR-589
 show cns image connections CFR-598
 show cns image inventory CFR-599
 show cns image status CFR-600
 show kron schedule CFR-661
 show rtr enhanced-history collection-statistics CFR-737
 show rtr enhanced-history distribution statistics CFR-743
 show tgrep neighbors VR-1628
 show voice eddri prefix VR-1658
 shutdown (gateway) VR-1716
 supported language VR-1721
 tbct clear call VR-1816
 tbct max call-duration VR-1818
 tbct max calls VR-1819
 tgrep advertise (dial peer) VR-1862
 tgrep advertise (trunk group) VR-1863
 tgrep local-itad VR-1865
 timers hold VR-1921
 type slm frame-relay pvc interface CFR-1007
 type slm frame-relay interface CFR-1005
 voice call capacity mir VR-2044
 voice call capacity reporting VR-2048
 voice call capacity stw VR-2046
 voice call capacity timer interval VR-2050
 voice call csr data-points VR-2052
 voice call csr recording interval VR-2053
 voice call csr reporting interval VR-2054
 voice call trigger hwm VR-2059
 voice call trigger lwm VR-2061
 voice call trigger percent-change VR-2063
 zone call VR-2135

12.3(1) Modified Commands

carrier-id (trunk group) VR-282
 cns id CFR-120

debug ip auth-proxy DB-569
 debug ip inspect DB-626
 export destination XR-55
 ip auth-proxy SR-324
 ip auth-proxy auth-proxy-banner SR-327
 ip auth-proxy name SR-329
 ip flow-aggregation cache XR-79
 ip inspect name SR-343
 ip port-map SR-362
 isdn bchan-number-order DR-307
 isdn protocol-emulate (dial) DR-341
 mgcp default-package VR-835
 mgcp package-capability VR-860
 show call active voice VR-1297
 show call history voice VR-1321
 show gatekeeper endpoints VR-1423
 show ip cache flow aggregation XR-348
 show ip flow export XR-369
 show sip-ua timers VR-1587

12.3(1) Replaced Commands

debug tag-switching atm-cos DB-1372
 debug tag-switching atm-tdp api DB-1373
 debug tag-switching atm-tdp routes DB-1374
 debug tag-switching atm-tdp states DB-1375
 debug tag-switching tdp advertisements DB-1376
 debug tag-switching tdp bindings DB-1377
 debug tag-switching tdp peer directed-neighbors DB-1378
 debug tag-switching tdp peer state-machine DB-1379
 debug tag-switching tdp pies received DB-1380
 debug tag-switching tdp pies sent DB-1381
 debug tag-switching tdp session io DB-1382
 debug tag-switching tdp session state-machine DB-1383
 debug tag-switching tdp transport connections DB-1384
 debug tag-switching tdp transport events DB-1385
 debug tag-switching xtagatm cross-connect DB-1386
 debug tag-switching xtagatm errors DB-1387
 debug tag-switching xtagatm events DB-1388

debug tag-switching xtagatm vpc DB-1389
 show tag-switching atm-tdp bindings XR-543
 show tag-switching atm-tdp bindwait XR-544
 show tag-switching atm-tdp capability XR-545
 show tag-switching atm-tdp summary XR-546
 show tag-switching cos-map XR-547
 show tag-switching prefix-map XR-548
 show tag-switching tdp bindings XR-549
 show tag-switching tdp discovery XR-550
 show tag-switching tdp neighbors XR-551
 show tag-switching tdp parameters XR-552
 tag-switching advertise-tags XR-591
 tag-switching atm allocation-mode XR-592
 tag-switching atm disable-headend XR-593
 tag-switching atm disable-headend-vc XR-594
 tag-switching atm maxhops XR-595
 tag-switching atm vpi XR-597
 tag-switching atm vp-tunnel XR-598
 tag-switching cos-map XR-599
 tag-switching prefix-map XR-600
 tag-switching request-tags XR-601
 tag-switching tdp discovery XR-602
 tag-switching tdp holdtime XR-603