Release Notes for Cisco Catalyst 4224 Access Gateway Switch for Cisco IOS Release 12.1(5)YI2

February 25, 2002



You can find the most current Cisco IOS documentation on Cisco.com. This set of electronic documents may contain updates and modifications made after the hard-copy documents were printed.

These release notes for the Cisco Catalyst 4224 Access Gateway Switch describe the software features provided in Cisco IOS Release 12.1(5)YI2. These release notes are updated as needed.

Contents

These release notes describe the following topics:

- Introduction, page 2
- System Requirements, page 2
- New and Changed Information, page 4
- Limitations and Restrictions, page 5
- Important Notes, page 5
- Bug Fixes In Cisco IOS Release 12.1(5)YI2, page 5
- Caveats, page 6
- Related Documentation, page 6
- Obtaining Documentation, page 16
- Obtaining Technical Assistance, page 17



Introduction

The Cisco Catalyst 4224 Access Gateway Switch is an Ethernet switching router that provides Voice over IP (VoIP) gateway and IP telephony services. It is designed to be part of a centralized Cisco CallManager application.

System Requirements

This section describes the system requirements for Cisco IOS Release 12.1(5)YI2 and includes the following sections:

- Memory Requirements, page 2
- Hardware Supported, page 3
- Determining the Software Version, page 3

Memory Requirements

Table 1	Minimum Memory Recommendations for the Cisco Catalyst 4224 Access Gate	wav Switch

Platforms	Image Name	Software Image	Flash Memory Recommended	DRAM Memory Recommended	Runs From
Cisco c4224	IP Plus (standard)	c4224-isx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW	c4224-io3sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / IPsec 56	c4224-isx356i-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / IPsec 56 / FW	c4224-io3sx356i-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / 3DES	c4224-ik2sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / 3DES / FW	c4224-ik2o3sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW	c4224-io3sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW / IPX / SNA	c4224-a3inro3sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus	c4224-isx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / IPX / SNA	c4224-a3inrsx3-mz	32 MB Flash	64 MB DRAM	RAM

Platforms	Image Name	Crypto Software Image	Flash Memory Recommended	DRAM Memory Recommended	Runs From
Cisco c4224	IP Plus / FW / 3DES	c4224-ik2o3sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW / IPSEC 56	c4224-io3sx356i-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW / IPX / SNA / IPSEC 56	c4224-a3inro3sx356i- mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / FW / IPX / SNA / 3DES	c4224-a3inrk2o3sx3- mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / 3DES	c4224-ik2sx3-mz	32 MB Flash	64 MB DRAM	RAM
	IP Plus / IPSEC 56	c4224-isx356i-mz	32 MB Flash	64 MB DRAM	RAM

 Table 2
 Minimum Memory Recommendations for the Cisco Catalyst 4224 Access Gateway Switch — Crypto Images

Hardware Supported

Cisco IOS Release 12.1(5)YI2 supports:

Cisco Catalyst 4224 Access Gateway Switch

Determining the Software Version

To determine the version of Cisco IOS software running on your Cisco Catalyst 4224 Access Gateway Switch, log in to the Cisco Catalyst 4224 Access Gateway Switch and enter the **show version** EXEC command:

Router> **show version** Cisco Internetwork Operating System Software IOS (tm) 12.1(5) Software (c4224-isx3-mz), Version 12.1(5)YI2, RELEASE SOFTWARE

New and Changed Information

The following sections list the new hardware and software features in Cisco IOS Release 12.1(5)YI2.

New Hardware Features in Cisco IOS Release 12.1(5)YI2

Cisco IOS Release 12.1(5)YI2 supports the Catalyst 4224 Access Gateway Switch.

New Software Features in Cisco IOS Release 12.1(5)YI2

Cisco IOS Release 12.1(5)YI2 supports:

• Novell Internetwork Packet Exchange (IPX) protocol

Novell IPX is derived from the Xerox Network Systems (XNS) Internet Datagram Protocol (IDP). The Cisco implementation of the Novell IPX protocol is certified to provide full IPX routing functionality, and it includes support for the following features:

- IPX MIB (currently, read-only access is supported)
- IPX Enhanced IGRP, with automatic redistribution, increased network width, and incremental SAP updates.
- Routing IPX between Ethernet-emulated LANs and Token Ring-emulated LANs
- Routing IPX between VLANs
- IPX Multilayer Switching (MLS

For details on how to configure IPX protocol, refer to the following documentation, available online at Cisco.com:

- Cisco IOS AppleTalk and Novell IPX Configuration Guide, Release 12.1

Available on Cisco.com at

http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/atipx_c/index.htm

- Cisco IOS AppleTalk and Novell IPX Command Reference, Release 12.

Available on Cisco.com at

http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/atipx_r/index.htm

• IBM Systems Network Architecture (SNA) protocol

Many enterprise organizations have networks that are based on IBM mainframes and Systems Network Architecture (SNA). The Cisco bridging and IBM networking technologies enable the delivery of SNA data over routers supporting TCP/IP. For details on how to configure SNA protocol, refer to the following documentation:

- Cisco IOS Bridging and IBM Networking Configuration Guide, Release 12.1

Available on Cisco.com at

http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/ibm_c/index.htm

 Cisco IOS Bridging and IBM Networking Command Reference, Release 12.1, Vol. I Available on Cisco.com at

http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/ibm_r/index.htm

 Cisco IOS Bridging and IBM Networking Command Reference, Release 12.1, Vol. II Available on Cisco.com at http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121cgcr/ibm_r2/index.htm

Limitations and Restrictions

The following MIBs are supported:

- SNMP MIB-II
- ENTITY-MIB
- IF-MIB
- BRIDGE-MIB

The following Cisco proprietary MIBs are supported:

- CISCO-PROCESS-MIB
- CISCO-MEMORY-POOL-MIB
- CISCO-CDP-MIB

The following MIB will be supported later:

• CISCO-STACK-MIB

Important Notes

This section contains important information about Cisco IOS Release 12.1(5)YI2 that applies to the Cisco Catalyst 4224 Access Gateway Switch:

- Half-duplex mode for bisync tunneling (BSTUN) is not supported for this release.
- The 12.1(5)YI release supersedes the 12.1(5)YE releases for the C4224. However, unless you intend to use the SNA functionality provided by the YI release and are currently running the latest 12.1(5)YE5 release, you do not need to upgrade at this time.

Bug Fixes In Cisco IOS Release 12.1(5)YI2

The following reported bugs have been fixed or resolved in Cisco IOS Release 12.1(5)YI:

CSCdu63189

Extraneous error message.

• CSCdw24120

Broadcom driver changes for SNA.

• CSCdw25153

dlsw support for c4224.

• CSCdw65903

Description: An error can occur with management protocol processing. Please use the following URL for further information:

http://www.cisco.com/cgi-bin/bugtool/onebug.pl?bugid=CSCdw65903

Caveats

Caveats describe unexpected behavior or defects in Cisco IOS software releases. Severity 1 caveats are the most serious caveats; severity 2 caveats are less serious, and severity 3 and severity 4 caveats are still less serious.

For a list of bugs that have been resolved in this release, see the "Bug Fixes In Cisco IOS Release 12.1(5)YI2" section on page 5.

Note

If you have an account with CCO, you can use Bug Navigator II to find caveats of any severity for any release. Click on this path: **Software Center: Cisco IOS Software: Cisco IOS Bug Toolkit: Cisco Bug Navigator II**. You can also find Bug Navigator II at http://www.cisco.com/support/bugtools

Related Documentation

The following sections describe the documentation available for the Cisco Catalyst 4224 Access Gateway Switch. These documents consist of hardware and software installation guides, Cisco IOS configuration guides and command references, system error messages, feature modules, and other documents.

Documentation is available as printed manuals or electronic documents, except for feature modules, which are available online on Cisco.com and the Documentation CD-ROM.

Use these release notes with these documents:

- Platform-Specific Documents, page 6
- Cisco IOS Software Documentation Set, page 7.

Platform-Specific Documents

These documents are available for the Cisco Catalyst 4224 Access Gateway Switch on Cisco.com and the Documentation CD-ROM:

- Switch Software Documentation, Release 5.5
- Catalyst 4000 Family Release Notes
- Catalyst 4000 Family Installation & Configuration Notes
- Site Preparation and Safety Guide
- Troubleshooting Tips

On Cisco.com at:

Technical Documents: Documentation Home Page: Multilayer LAN Switches: Catalyst 4000 Family Switches: Installation and Configuration Notes

On the Documentation CD-ROM at:

Cisco Product Documentation: Multilayer LAN Switches: Catalyst 4000 Family Switches: Installation and Configuration Notes

Feature Modules

Feature modules describe new features supported by Cisco IOS Release 12.1(5)YI2 and are updates to the Cisco IOS documentation set. A feature module consists of a brief overview of the features, benefits, and configuration tasks as well as a command reference. As updates, the feature modules are available online only. Feature module information is incorporated in the next printing of the Cisco IOS documentation set.

On Cisco.com at:

Technical Documents: Documentation Home Page: Cisco IOS Software Configuration: Cisco IOS Release 12.1: New Feature Documentation

On the Documentation CD-ROM at:

Cisco Product Documentation: Cisco IOS Software Configuration: Cisco IOS Release 12.1: New Feature Documentation

Feature Navigator

Feature Navigator is a web-based tool that enables you to quickly determine which Cisco IOS software images support a particular set of features and which features are supported in a particular Cisco IOS image.

Feature Navigator is available 24 hours a day, 7 days a week. To access Feature Navigator, you must have an account on Cisco.com. If you have forgotten or lost your account information, e-mail the Contact Database Administration group at cdbadmin@cisco.com. If you do not have an account on Cisco.com, go to http://www.cisco.com/register and follow the directions to establish an account.

To use Feature Navigator, you must have a JavaScript-enabled web browser such as Netscape 3.0 or later, or Internet Explorer 4.0 or later. Internet Explorer 4.0 always has JavaScript enabled. To enable JavaScript for Netscape 3.x or Netscape 4.x, follow the instructions provided with the web browser. For JavaScript support and enabling instructions for other browsers, check with the browser vendor.

Feature Navigator is updated when major Cisco IOS software releases and technology releases occur. You can access Feature Navigator at the following URL:

http://www.cisco.com/go/fn

Cisco IOS Software Documentation Set

The Cisco IOS software documentation set consists of the Cisco IOS configuration guides, Cisco IOS command references, and several other supporting documents. The Cisco IOS software documentation set is shipped with your order in electronic form on the Documentation CD-ROM, unless you specifically ordered the printed versions.

Documentation Modules

Each module in the Cisco IOS documentation set consists of one or more configuration guides and one or more corresponding command references. Chapters in a configuration guide describe protocols, configuration tasks, and Cisco IOS software functionality, and contain comprehensive configuration examples. Chapters in a command reference provide complete command syntax information. Use each configuration guide with its corresponding command reference.

On Cisco.com at:

Technical Documents: Documentation Home Page: Cisco IOS Software Configuration: Cisco IOS Release 12.1: Configuration Guides and Command References

On the Documentation CD-ROM at:

Cisco Product Documentation: Cisco IOS Software Configuration: Cisco IOS Release 12.1: Configuration Guides and Command References

Cisco IOS Release 12.1 Documentation Set Contents

Table 3 lists the contents of the Cisco IOS Release 12.0 software documentation set, Table 4 lists the contents of the Cisco IOS Release 12.1 software documentation set, and Table 5 lists the contents of the Cisco IOS Release 12.2 software documentation set. These documents are available in electronic form and in printed form if ordered.



You can find the most current Cisco IOS documentation on Cisco.com and the Documentation CD-ROM. These electronic documents may contain updates and modifications made after the hard-copy documents were printed.

On Cisco.com at:

Technical Documents: Documentation Home Page: Cisco IOS Software Configuration: Cisco IOS Release 12.1

On the Documentation CD-ROM at:

Cisco Product Documentation: Cisco IOS Software Configuration: Cisco IOS Release 12.1

 Table 3
 Cisco IOS Release 12.0 Documentation Set

Books	Major Topics
 Configuration Fundamentals Configuration Guide Configuration Fundamentals Command Reference 	Configuration Fundamentals Overview Cisco IOS User Interfaces File Management System Management
 Bridging and IBM Networking Configuration Guide Bridging and IBM Networking Command Reference 	Bridging and IBM Networking Overview Bridging IBM Networking

bks	Major Topics
Dial Solutions Configuration Guide	Overview of Interfaces, Controllers, and Lines Used for
	Dial Access
	Configuring Modem Support and Other Asynchronous
	Devices
	Managing Modems
	Configuring Terminal Operating Characteristics for
	Dial-In Sessions
	Setting Up ISDN Basic Rate Service
	Configuring Synchronous Serial Ports
	Configuring Channelized E1 and T1
	Configuring ISDN Special Signaling
	Configuring X.25 on ISDN Using A0/D1
	Configuring AppleTalk Remote Access
	Preparing for Asynchronous DDR
	Configuring Asynchronous PP and SLIP
	Configuring the Bandwidth Allocation Control Protoc
	Configuring PPP Callback for DDR
	Configuring ISDN Caller ID Callback
	Configuring Dial Backup for Dialer Profiles
	Configuring Dial Backup Using Dialer Watch
	Configuring Dial Backup for Serial LInes
	Configuring Peer-to-Peer DDR with Dialer Profiles
	Configuring DialOut
	Enterprise Dial Scenarios and Configurations
	Configuring Easy IP
	Deciding and Preparing to Configure DDR
	Configuring Legacy DDR Hubs
	Configuring Multichassis Multilink PPP
	Configuring Support For NASI Clients to Access
	Network
	Resources
	Dial Networking Business Applications
	Configuring the Cisco PAD
	Per-User Configuration
	Configuring Media-Independent PPP and Multilink PF Configuring Protocol Translation and Virtual
	Asynchronous Devices
	Establishing a Reverse Telenet Session to a Modem
	Configuring Snapshot Routing
	Telco and ISP Dial Scenarios and Configurations
	Configuring Legacy DDR Spokes
	Configuring Dial-In Terminal Services
	Configuring V.120 Access
	Configuring Virtual Private Dialup Networks
	Configuring Virtual Profiles
	Configuring Virtual Template Interfaces
	Configuring X.25 on ISDN

Table 3Cisco IOS Release 12.0 Documentation Set (continued)

Books	Major Topics
• Dial Solutions Command Reference	Dial-In Port Setup Dial-In Terminal Service and Remote Node Configuration Dial-on-Demand Routing Dial Backup Dial-Out Modem Pooling Large-Scale Dial Solutions Cost-Control Solutions Virtual Private Dialup Networks Other Network Traffic on ISDN Channels Dial-Related Addressing Services
Cisco IOS Interface Configuration Guide	Interface Configuration Overview
Cisco IOS Interface Command Reference	LAN Interfaces Serial Interfaces Logical Interfaces
• Network Protocols Configuration Guide, Part 1	IP Overview
• Network Protocols Command Reference, Part 1	IP Addressing and Services IP Routing Protocols
Network Protocols Configuration Guide, Part 2	AppleTalk and Novell IPX Overview
• Network Protocols Command Reference, Part 2	AppleTalk Novell IPX
• Network Protocols Configuration Guide, Part 3	Network Protocols Overview
• Network Protocols Command Reference, Part 3	Apollo Domain Banyan VINES DECnet ISO CLNS XNS
Security Configuration Guide	Security Overview
• Security Command Reference	Authentication, Authorization, and Accounting (AAA) Security Server Protocols Traffic Filtering and Firewalls IP Security and Encryption Other Security Features
Cisco IOS Switching Services Configuration Guide	Cisco IOS Switching Services Overview
• Cisco IOS Switching Services Command Reference	Cisco IOS Switching Paths Cisco Express Forwarding NewFlow Switching Tag Switching Multilayer Switching Multicast Distributed Switching Virtual LANs MPOA Commands
• Wide-Area Networking Configuration Guide	Wide-Area Network Overview
• Wide-Area Networking Command Reference	ATM Frame Relay SMDS X.25 and LAPB

Table 3 Cisco IOS Release 12.0 Documentation Set (continued)

I

Books	Major Topics
 Voice, Video, and Home Applications Configuration Guide Voice, Video, and Home Applications Command Reference 	Using Voice, Video, and Home Applications Voice Video Broadband
 Quality of Service Solutions Configuration Guide Quality of Service Solutions Command Reference 	Quality of Service Overview Classification Congestion Management Congestion Avoidance Policy and Shaping Overview Signaling Link Efficiency Mechanisms
Caveats (Caveat documentation for Cisco IOS Releases 12.0 and 12.0 T—includes open and resolved severity 1 and 2 caveats for all platforms)	
• Cisco IOS Release 12.0 Configuration Guide Master Index	
• Cisco IOS Release 12.0 Command Reference Master Index	
Cisco IOS Release 12.0 Master Indexes	
Cisco IOS Software Command Summary	
Cisco IOS Software System Error Messages	
Debug Command Reference	
• Dial Solutions Quick Configuration Guide	
• New Features in 12.0-Based Limited Lifetime Releases	
• New Features in Early Deployment Release 12.0T	
• Release Notes (Release notes for 12.0-based releases and various platforms)	

Table 3Cisco IOS Release 12.0 Documentation Set (continued)

I

Books	Major Topics
 Cisco IOS Configuration Fundamentals Configuration Guide Cisco IOS Configuration Fundamentals Command Reference 	Configuration Fundamentals Overview Cisco IOS User Interfaces Cisco IOS File Management Cisco IOS System Management Cisco IOS User Interfaces Commands Cisco IOS File Management Commands Cisco IOS System Management Commands
 Cisco IOS Bridging and IBM Networking Configuration Guide Cisco IOS Bridging and IBM Networking Command Reference, Volume I Cisco IOS Bridging and IBM Networking Command Reference, Volume II 	Using Cisco IOS Software Overview of SNA Internetworking Bridging IBM Networking
 Cisco IOS Dial Services Configuration Guide: Terminal Services Cisco IOS Dial Services Configuration Guide: Network Services Cisco IOS Dial Services Command Reference 	Preparing for Dial Access Modem Configuration and Management ISDN and Signaling Configuration PPP Configuration Dial-on-Demand Routing Configuration Dial-Backup Configuration Terminal Service Configuration Large-Scale Dial Solutions Cost-Control Solutions Virtual Private Networks X.25 on ISDN Solutions Telco Solutions Dial-Related Addressing Services Interworking Dial Access Scenarios
 Cisco IOS Interface Configuration Guide Cisco IOS Interface Command Reference 	Interface Configuration Overview Configuring LAN Interfaces Configuring Serial Interfaces Configuring Logical Interfaces
 Cisco IOS IP and IP Routing Configuration Guide Cisco IOS IP and IP Routing Command Reference 	IP Addressing and Services IP Routing Protocols IP Multicast
 Cisco IOS AppleTalk and Novell IPX Configuration Guide Cisco IOS AppleTalk and Novell IPX Command Reference 	AppleTalk and Novell IPX Overview Configuring AppleTalk Configuring Novell IPX
 Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Configuration Guide Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Command Reference 	Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Overview Configuring Apollo Domain Configuring Banyan VINES Configuring DECnet Configuring ISO CLNS Configuring XNS

Table 4 Cisco IOS Release 12.1 Documentation Set

Books	Major Topics
 Cisco IOS Multiservice Applications Configuration Guide Cisco IOS Multiservice Applications Command Reference 	Multiservice Applications Overview Voice Video Broadband
 Cisco IOS Quality of Service Solutions Configuration Guide Cisco IOS Quality of Service Solutions Command Reference 	Quality of Service Overview Classification Congestion Management Congestion Avoidance Policing and Shaping Signaling Link Efficiency Mechanisms Quality of Service Solutions
 Cisco IOS Security Configuration Guide Cisco IOS Security Command Reference 	Security Overview Authentication, Authorization, and Accounting (AAA) Security Server Protocols Traffic Filtering and Firewalls IP Security and Encryption Other Security Features
 Cisco IOS Switching Services Configuration Guide Cisco IOS Switching Services Command Reference 	Cisco IOS Switching Services Overview Cisco IOS Switching Paths Cisco Express Forwarding NetFlow Switching Multiprotocol Label Switching Multilayer Switching Multicast Distributed Switching Virtual LANs LAN Emulation
 Cisco IOS Wide-Area Networking Configuration Guide Cisco IOS Wide-Area Networking Command Reference 	Wide-Area Networking Overview Configuring ATM Configuring Frame Relay Configuring Frame Relay-ATM Interworking Configuring SMDS Configuring X.25 and LAPB

Table 4 Cisco IOS Release 12.1 Documentation Set (continued)

- Cisco IOS Configuration Guide Master Index
- Cisco IOS Command Reference Master Index •
- Cisco IOS Debug Command Reference •
- Cisco IOS Dial Services Quick Configuration Guide •
- Cisco IOS Software System Error Messages ٠
- New Features in 12.1-Based Limited Lifetime Releases •
- New Features in Release 12.1 T ٠
- Release Notes (Release note and caveat documentation for • 12.1-based releases and various platforms)

Bo	oks	Major Topics
•	Cisco IOS Configuration Fundamentals Configuration Guide	Cisco IOS User Interfaces File Management
•	Cisco IOS Configuration Fundamentals Command Reference	System Management
•	Cisco IOS Bridging and IBM Networking Configuration Guide	Transparent Bridging SRB
•	Cisco IOS Bridging and IBM Networking Command Reference, Volume 1 of 2	Token Ring Inter-Switch Link Token Ring Route Switch Module RSRB
	Cisco IOS Bridging and IBM Networking Command Reference, Volume 2 of 2	DLSW+ Serial Tunnel and Block Serial Tunnel LLC2 and SDLC IBM Network Media Translation SNA Frame Relay Access NCIA Client/Server Airline Product Set DSPU and SNA Service Point SNA Switching Services Cisco Transaction Connection Cisco Mainframe Channel Connection CLAW and TCP/IP Offload CSNA, CMPC, and CMPC+ TN3270 Server
•	Cisco IOS Dial Technologies Configuration Guide: Dial Access	Dial Access Modem and Dial Shelf Configuration and Management
•	Cisco IOS Dial Technologies Configuration Guide: Large-Scale Dial Applications	ISDN Configuration Signaling Configuration Point-to-Point Protocols
•	Cisco IOS Dial Technologies Command Reference, Volume 1 of 2	Dial-on-Demand Routing Dial Backup
•	Cisco IOS Dial Technologies Command Reference, Volume 2 of 2	Dial Related Addressing Service Network Access Solutions Large-Scale Dial Solutions Cost-Control Solutions Internetworking Dial Access Scenarios
•	Cisco IOS Interface Configuration Guide	LAN Interfaces
•	Cisco IOS Interface Command Reference	Serial Interfaces Logical Interfaces
•	Cisco IOS IP Configuration Guide	IP Addressing
•	Cisco IOS IP Command Reference, Volume 1 of 3: Addressing and Services	IP Services IP Routing Protocols IP Multicast
•	Cisco IOS IP Command Reference, Volume 2 of 3: Routing Protocols	ii muuteast
•	Cisco IOS IP Command Reference, Volume 3 of 3: Multicast	
•	Cisco IOS AppleTalk and Novell IPX Configuration Guide	AppleTalk
•	Cisco IOS AppleTalk and Novell IPX Command Reference	Novell IPX

Table 5 Cisco IOS Release 12.2 Documentation Set

Books	Major Topics
 Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Configuration Guide Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Command Reference 	Apollo Domain Banyan VINES DECnet ISO CLNS XNS
 Cisco IOS Voice, Video, and Fax Configuration Guide Cisco IOS Voice, Video, and Fax Command Reference 	Voice over IP Call Control Signaling Voice over Frame Relay Voice over ATM Telephony Applications Trunk Management Fax, Video, and Modem Support
 Cisco IOS Quality of Service Solutions Configuration Guide Cisco IOS Quality of Service Solutions Command Reference 	Packet Classification Congestion Management Congestion Avoidance Policing and Shaping Signaling Link Efficiency Mechanisms
 Cisco IOS Security Configuration Guide Cisco IOS Security Command Reference 	AAA Security Services Security Server Protocols Traffic Filtering and Firewalls IP Security and Encryption Passwords and Privileges Neighbor Router Authentication IP Security Options Supported AV Pairs
 Cisco IOS Switching Services Configuration Guide Cisco IOS Switching Services Command Reference 	Cisco IOS Switching Paths NetFlow Switching Multiprotocol Label Switching Multilayer Switching Multicast Distributed Switching Virtual LANs LAN Emulation
 Cisco IOS Wide-Area Networking Configuration Guide Cisco IOS Wide-Area Networking Command Reference 	ATM Frame Relay SMDS X.25 and LAPB
 Cisco IOS Mobile Wireless Configuration Guide Cisco IOS Mobile Wireless Command Reference 	General Packet Radio Service

Table 5 Cisco IOS Release 12.2 Documentation Set (continued)

Books	Major Topics	
Cisco IOS Terminal Services Configuration Guide	ARA	
• Cisco IOS Terminal Services Command Reference	LAT	
Cisco 105 Terminai Services Commana Reference	NASI	
	Telnet	
	TN3270	
	XRemote	
	X.28 PAD	
	Protocol Translation	

Table 5 Cisco IOS Release 12.2 Documentation Set (continued)

Cisco IOS Configuration Guide Master Index

• Cisco IOS Command Reference Master Index

• Cisco IOS Debug Command Reference

Cisco IOS Software System Error Messages

• New Features in 12.2-Based Limited Lifetime Releases

• New Features in Release 12.2 T

• Release Notes (Release note and caveat documentation for 12.2-based releases and various platforms)

Obtaining Documentation

The following sections explain how to obtain documentation from Cisco Systems.

World Wide Web

You can access the most current Cisco documentation on the World Wide Web at the following URL:

http://www.cisco.com

Translated documentation is available at the following URL:

http://www.cisco.com/public/countries_languages.shtml

Documentation CD-ROM

Cisco documentation and additional literature are available in a Cisco Documentation CD-ROM package, which is shipped with your product. The Documentation CD-ROM is updated monthly and may be more current than printed documentation. The CD-ROM package is available as a single unit or through an annual subscription.

Ordering Documentation

Cisco documentation is available in the following ways:

 Registered Cisco Direct Customers can order Cisco product documentation from the Networking Products MarketPlace:

http://www.cisco.com/cgi-bin/order/order_root.pl

• Registered Cisco.com users can order the Documentation CD-ROM through the online Subscription Store:

http://www.cisco.com/go/subscription

 Nonregistered Cisco.com users can order documentation through a local account representative by calling Cisco corporate headquarters (California, USA) at 408 526-7208 or, elsewhere in North America, by calling 800 553-NETS (6387).

Documentation Feedback

If you are reading Cisco product documentation on Cisco.com, you can submit technical comments electronically. Click **Leave Feedback** at the bottom of the Cisco Documentation home page. After you complete the form, print it out and fax it to Cisco at 408 527-0730.

You can e-mail your comments to bug-doc@cisco.com.

To submit your comments by mail, use the response card behind the front cover of your document, or write to the following address:

Cisco Systems Attn: Document Resource Connection 170 West Tasman Drive San Jose, CA 95134-9883

We appreciate your comments.

Obtaining Technical Assistance

Cisco provides Cisco.com as a starting point for all technical assistance. Customers and partners can obtain documentation, troubleshooting tips, and sample configurations from online tools by using the Cisco Technical Assistance Center (TAC) Web Site. Cisco.com registered users have complete access to the technical support resources on the Cisco TAC Web Site.

Cisco.com

Cisco.com is the foundation of a suite of interactive, networked services that provides immediate, open access to Cisco information, networking solutions, services, programs, and resources at any time, from anywhere in the world.

Cisco.com is a highly integrated Internet application and a powerful, easy-to-use tool that provides a broad range of features and services to help you to

- Streamline business processes and improve productivity
- · Resolve technical issues with online support

- · Download and test software packages
- · Order Cisco learning materials and merchandise
- · Register for online skill assessment, training, and certification programs

You can self-register on Cisco.com to obtain customized information and service. To access Cisco.com, go to the following URL:

http://www.cisco.com

Technical Assistance Center

The Cisco TAC is available to all customers who need technical assistance with a Cisco product, technology, or solution. Two types of support are available through the Cisco TAC: the Cisco TAC Web Site and the Cisco TAC Escalation Center.

Inquiries to Cisco TAC are categorized according to the urgency of the issue:

- Priority level 4 (P4)—You need information or assistance concerning Cisco product capabilities, product installation, or basic product configuration.
- Priority level 3 (P3)—Your network performance is degraded. Network functionality is noticeably impaired, but most business operations continue.
- Priority level 2 (P2)—Your production network is severely degraded, affecting significant aspects of business operations. No workaround is available.
- Priority level 1 (P1)—Your production network is down, and a critical impact to business operations will occur if service is not restored quickly. No workaround is available.

Which Cisco TAC resource you choose is based on the priority of the problem and the conditions of service contracts, when applicable.

Cisco TAC Web Site

The Cisco TAC Web Site allows you to resolve P3 and P4 issues yourself, saving both cost and time. The site provides around-the-clock access to online tools, knowledge bases, and software. To access the Cisco TAC Web Site, go to the following URL:

http://www.cisco.com/tac

All customers, partners, and resellers who have a valid Cisco services contract have complete access to the technical support resources on the Cisco TAC Web Site. The Cisco TAC Web Site requires a Cisco.com login ID and password. If you have a valid service contract but do not have a login ID or password, go to the following URL to register:

http://www.cisco.com/register/

If you cannot resolve your technical issues by using the Cisco TAC Web Site, and you are a Cisco.com registered user, you can open a case online by using the TAC Case Open tool at the following URL:

http://www.cisco.com/tac/caseopen

If you have Internet access, it is recommended that you open P3 and P4 cases through the Cisco TAC Web Site.

Cisco TAC Escalation Center

The Cisco TAC Escalation Center addresses issues that are classified as priority level 1 or priority level 2; these classifications are assigned when severe network degradation significantly impacts business operations. When you contact the TAC Escalation Center with a P1 or P2 problem, a Cisco TAC engineer will automatically open a case.

To obtain a directory of toll-free Cisco TAC telephone numbers for your country, go to the following URL:

http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml

Before calling, please check with your network operations center to determine the level of Cisco support services to which your company is entitled; for example, SMARTnet, SMARTnet Onsite, or Network Supported Accounts (NSA). In addition, please have available your service agreement number and your product serial number.

All other trademarks mentioned in this document or Web site are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0206R)

Copyright © 2002, Cisco Systems, Inc. All rights reserved.

This document is to be used in conjunction with the documents listed in the "Related Documentation" section.

CCIP, the Cisco Arrow logo, the Cisco *Powered* Network mark, the Cisco Systems Verified logo, Cisco Unity, Follow Me Browsing, FormShare, Internet Quotient, iQ Breakthrough, iQ Expertise, iQ FastTrack, the iQ Logo, iQ Net Readiness Scorecard, Networking Academy, ScriptShare, SMARTnet, TransPath, and Voice LAN are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, Discover All That's Possible, The Fastest Way to Increase Your Internet Quotient, and iQuick Study are service marks of Cisco Systems, Inc.; and Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, the Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherSwitch, Fast Step, GigaStack, IOS, IP/TV, LightStream, MGX, MICA, the Networkers logo, Network Registrar, *Packet*, PIX, Post-Routing, Pre-Routing, RateMUX, Registrar, SildeCast, StrataView Plus, Stratm, SwitchProbe, TeleRouter, and VCO are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries.

